



Index

CommercialCooling  P. 3 - 12

GastronormCooling  P. 13 - 22


**GreatDistribution,
Butchery & Fish**  P. 22 - 25

SelfService & Collectivity  P. 26 - 28

IceCream & TeaRoom  P. 29 - 31

Washing  P. 32 - 36

Hygiene  P. 37 - 42

StainlessSteel  P. 43 - 46

Neutral  P. 47 - 49

Oven  P. 50 - 52

**Bakery, Pastry
& Chocolate**  P. 53 - 57

Cooking  P. 58 - 71


Grill & Rotisserie  P. 72 - 74

Asia  P. 75 - 76

Italia  P. 77 - 80

Snack  P. 81 - 87

Preparation  P. 88 - 94

Bar  P. 95 - 103



Réfrigérant
Koelgas
Refrigerant



Électricité
Electriciteit
Electricity



Température
Temperatuur
Temperature



Gaz
Gas
Gas

COMPTOIR RÉFRIGÉRÉ SEMI-VENTILÉ ÉTROIT



FVMSCAISSE

ONDIEPE SEMI-GEVENTILEERDE GEKOELDE TOONBANK

FVMS



With refrigerated storage

NARROW SEMI-VENTILATED REFRIGERATED SHOWCASE



Made in Europe

REFERENCE	DIMENSIONS	EXPOSITION SURFACE	POWER	WEIGHT
FVMS100	L 1040 x P 900 x H 1262 MM	L 1000 x P 560 MM (0,56 M²)	0,39 kW	125 KG
FVMS150	L 1520 x P 900 x H 1262 MM	L 1480 x P 560 MM (0,83 M²)	0,39 kW	150 KG
FVMS200	L 2000 x P 900 x H 1262 MM	L 1960 x P 560 MM (1,10 M²)	0,54 kW	180 KG
FVMS250	L 2480 x P 900 x H 1262 MM	L 2440 x P 560 MM (1,38 M²)	0,73 kW	220 KG
FVMS300	L 2960 x P 900 x H 1262 MM	L 2920 x P 560 MM (1,66 M²)	0,85 kW	260 KG

FVMSCAISSE CAISSE / KASSA / CASH COUNTER



R404A



230V1



+3°/+5°

COMPTOIR RÉFRIGÉRÉ SEMI-VENTILÉ PROFOND



FVMSPCAISSE


DIEPE SEMI-GEVENTILEERDE GEKOELDE TOONBANK

FVMSP



With refrigerated storage

DEEP SEMI-VENTILATED REFRIGERATED COUNTER



Made in Europe

REFERENCE	DIMENSIONS	EXPOSITION SURFACE	POWER	WEIGHT
FVMSP100	L 1040 x P 1140 x H 1262 MM	L 1000 x P 760 MM (0,76 M²)	0,58 kW	130 KG
FVMSP150	L 1520 x P 1140 x H 1262 MM	L 1480 x P 760 MM (1,17 M²)	0,58 kW	170 KG
FVMSP200	L 2000 x P 1140 x H 1262 MM	L 1960 x P 760 MM (1,54 M²)	0,66 kW	210 KG
FVMSP250	L 2480 x P 1140 x H 1262 MM	L 2440 x P 760 MM (1,90 M²)	0,79 kW	250 KG
FVMSP300	L 2960 x P 1140 x H 1262 MM	L 2920 x P 760 MM (2,26 M²)	0,90 kW	285 KG

FVMSPCAISSE CAISSE / KASSA / CASH COUNTER



R404A



230V1



+3°/+5°



CommercialCooling

ARMOIRE À BOISSONS

FTG38



DRANKVITRINE

FTG38C



DRINKS COOLER

FTG88



Made in
Turkey

REFERENCE	DIMENSIONS	VOLUME / CAPACITY	CANOPY	POWER	WEIGHT
FTG38	L 595 x P 640 x H 1856 MM	372 L / 224 bottles 500 ml	-	0,36 kW	72 KG
FTG38C	L 595 x P 640 x H 1985 MM	372 L / 224 bottles 500 ml	YES	0,36 kW	74 KG
FTG88	L 1100 x P 694 x H 2010 MM	857 L / 450 bottles 500 ml	YES	0,45 kW	159 KG



R134A



230V1



0°/+10°

CAVE À VIN ROUGE STATIQUE

STATISCHE RODE WIJNVITRINE

STATIC RED WINE COOLER



Made in
Turkey

REFERENCE	DIMENSIONS	VOLUME / CAPACITY	POWER	WEIGHT
FTG38WINE	L 595 x P 640 x H 1856 MM	372 L	0,12 kW	67 KG



R134A



230V1



+7°/+20°





CommercialCooling

FRIGOBAR PORTES BATTANTES

FRIGOBAR MET Klapdeuren

FRIGOBAR WITH SWINGING DOORS

FEV250PD



FEV350PT



Made in
China

REFERENCE	DIMENSIONS	VOLUME / CAPACITY	POWER	WEIGHT
FEV250PD	L 900 x P 500 x H 900 MM	208 L / 180 bottles of 500 ml	0,25 kW	62 KG
FEV350PT	L 1350 x P 500 x H 900 MM	330 L / 325 bottles of 500 ml	0,28 kW	80 KG



R404A



230V1



+2°/+12°

FRIGOBAR PORTES COULISSANTES

FRIGOBAR MET SCHUIFDEUREN

FRIGOBAR WITH SLIDING DOORS

FEV250PDC



FEV350PTC



Made in
China

REFERENCE	DIMENSIONS	VOLUME / CAPACITY	POWER	WEIGHT
FEV250PDC	L 900 x P 500 x H 900 MM	208 L / 180 bottles of 500 ml	0,25 kW	65 KG
FEV350PTC	L 1350 x P 500 x H 900 MM	330 L / 325 bottles of 500 ml	0,28 kW	90 KG



R404A



230V1



+2°/+12°

CommercialCooling



MACHINE À GLAÇONS DE TABLE

TAFEL IJSBLOKJESMACHINE

TABLE ICECUBE MAKER



With reserve

REFERENCE	DIMENSIONS	CAPACITY	POWER	WEIGHT
CICEMATIC	L 360 x P 440 x H 454 MM	15 KG / 24 H	0,15 kW	23 KG



R600A



230V1

MACHINE À GLAÇONS AVEC SYSTÈME À JET (GLAÇONS PLEINS)

IJSBLOKJESMACHINE MET SPROEISYSTEEM (VOLLE IJSBLOKJES)

ICECUBE MAKER WITH JET SYSTEM (WHOLE ICE CUBES)

CSL35ABS



CSL35A



CSL70A

CSL50A



CSL90A



Tropicalised +43° - With double filter (not for CSL35ABS and CSL35A)

REFERENCE	DIMENSIONS	CAPACITY	STOCKAGE	POWER	WEIGHT
CSL35ABS	L 355 x P 404 x H 590 MM	20 KG / 24 H	4 KG	0,29 kW	28 KG
CSL35A	L 355 x P 404 x H 590 MM	20 KG / 24 H	4 KG	0,29 kW	28 KG
CSL50A	L 387 x P 465 x H 607 MM	28 KG / 24 H	6 KG	0,32 kW	39 KG
CSL70A	L 497 x P 592 x H 687 + 110 MM	37 KG / 24 H	16 KG	0,37 kW	48 KG
CSL90A	L 497 x P 592 x H 797 + 110 MM	46 KG / 24 H	25 KG	0,45 kW	52 KG
CSL110A	L 497 x P 592 x H 887 + 110 MM	53 KG / 24 H	25 KG	0,50 kW	55 KG
CSL140A	L 735 x P 603 x H 907 + 110 MM	68 KG / 24 H	40 KG	0,70 kW	67 KG
CSL180A	L 735 x P 603 x H 907 + 110 MM	88 KG / 24 H	40 KG	0,80 kW	71 KG
CSL260A	L 735 x P 603 x H 1007 + 110 MM	100 KG / 24 H	60 KG	0,85 kW	74 KG
CSL280A	L 840 x P 740 x H 1075 + 110 MM	130 KG / 24 H	65 KG	1,05 kW	113 KG
CSL350A	L 840 x P 740 x H 1075 + 110 MM	155 KG / 24 H	65 KG	1,40 kW	118 KG



R404A



230V1

Made in
Europe

Made in
Europe





CommercialCooling

MACHINE À GLAÇONS
AVEC SYSTÈME À GRANULES
(GLAÇONS GRANULAIRES)

IJSBLOKJESMACHINE
MET KORRELSYSTEEM
(KORREL IJSBLOKJES)

ICECUBE MAKER
WITH GRANULAR SYSTEM
(GRANULAR ICE CUBES)

CSLF190A



CSLF355A

Tropicalised +43° - With double filter

Made in
Europe

REFERENCE	DIMENSIONS	CAPACITY	STOCKAGE	POWER	WEIGHT
CSLF130A	L 450 x P 620 x H 680 MM	60 KG / 24 H	10 KG	0,42 kW	56 KG
CSLF190A	L 496 x P 660 x H 685 + 110 MM	90 KG / 24 H	19 KG	0,55 kW	59 KG
CSLF225A	L 496 x P 660 x H 795 + 110 MM	90 KG / 24 H	28 KG	0,55 kW	63 KG
CSLF320A	L 741 x P 678 x H 925 + 110 MM	155 KG / 24 H	38 KG	0,65 kW	85 KG
CSLF355A	L 741 x P 678 x H 1015 + 110 MM	155 KG / 24 H	55 KG	0,65 kW	87 KG



R404A



230V1

MACHINE À GLAÇONS
AVEC SYSTÈME À PALETTES
(GLAÇONS CREUX)

IJSBLOKJESMACHINE
MET PALETSYSTEEM
(HOLLE IJSBLOKJES)

ICECUBE MAKER
WITH PALET SYSTEM
(HOLLOW ICE CUBES)

CIFC65



CIFC120

Tropicalised +43° - With double filter

Made in
Europe

REFERENCE	DIMENSIONS	CAPACITY	STOCKAGE	POWER	WEIGHT
CIFC55	L 385 x P 468 x H 687 MM	25 KG / 24 H	8 KG	0,31 kW	38 KG
CIFC65	L 495 x P 480 x H 687 + 110 MM	32 KG / 24 H	15 KG	0,31 kW	47 KG
CIFC120	L 495 x P 580 x H 797 + 110 MM	45 KG / 24 H	20 KG	0,42 kW	54 KG
CIFC165	L 733 x P 596 x H 907 + 110 MM	75 KG / 24 H	30 KG	0,48 kW	75 KG



R404A



230V1



CommercialCooling

BAHUT SURGÉLATEUR

DIEPVRIESKOFFER

CHEST FREEZER

FCG30



FCG50



Made in
Turkey

REFERENCE	DIMENSIONS	VOLUME	POWER	WEIGHT
FCG30	L 1015 x P 720 x H 845 MM	288 L	0,19 kW	50 KG
FCG50	L 1555 x P 720 x H 845 MM	479 L	0,26 kW	67 KG



R134A



230V1



-18°/-34°

BAHUT SURGÉLATEUR

DIEPVRIESKOFFER

CHEST FREEZER

FCG70



Made in
China

REFERENCE	DIMENSIONS	VOLUME	POWER	WEIGHT
FCG70	L 1970 x P 700 x H 898 MM	620 L	0,35 kW	104 KG



R134A



230V1



-18°/-25°



VITRINE D'EXPOSITION 4 FACES VITRÉES

TENTOONSTELLINGSVITRINE 4 BEGLAASDE ZIJDEN

DISPLAY CASE 4 GLASS SIDES



FERF58



FERF78



FERF98



FERF235

Made in
Europe

REFERENCE	DIMENSIONS	VOLUME	POWER	WEIGHT
FERF58	L 427 x P 383 x H 822 MM	55 L	0,08 kW	41 KG
FERF78	L 427 x P 383 x H 872 MM	70 L	0,08 kW	43 KG
FERF98	L 427 x P 383 x H 1022 MM	95 L	0,08 kW	45 KG
FERF235	L 520 x P 485 x H 1700 MM	235 L	0,25 kW	77 KG



230V1



+2°/+10°

CELLULE DE REFROIDISSEMENT ET CONGÉLATION RAPIDE

SNELKOEL- EN SNELVRIESCEL

RAPID COOLING AND FREEZING CELL

FBFC3



FBFC5



Tropicalised +43°



FBFC10

Made in
Europe

REFERENCE	DIMENSIONS	CAPACITY	SPACE	POWER	WEIGHT
FBFC3	L 750 x P 740 x H 720 MM	3 x GN 1/1 or EN 600 x 400	70 MM	1,15 kW	50 KG
FBFC5	L 750 x P 740 x H 850 MM	5 x GN 1/1 or EN 600 x 400	70 MM	1,42 kW	71 KG
FBFC7	L 750 x P 740 x H 1260 MM	7 x GN 1/1 or EN 600 x 400	105 MM	1,49 kW	90 KG
FBFC10	L 750 x P 740 x H 1260 MM	10 x GN 1/1 or EN 600 x 400	70 MM	1,49 kW	90 KG
FBFC15	L 750 x P 740 x H 1850 MM	15 x GN 1/1 or EN 600 x 400	70 MM	1,82 kW	120 KG
FBFC20	L 750 x P 740 x H 2080 MM	20 x GN 1/1 or EN 600 x 400	70 MM	2,04 kW	150 KG



R404A



230V1



+3°/+70°



-18°/+70°

CommercialCooling



CELLULE PROFESSIONNELLE POSITIVE ET MONOBLOC DE PAROI

POSITIEVE PROFESSIONELE CEL EN WANDKOELGROEP

POSITIF PROFESSIONNAL CEL AND WALL UNIT

MCB



FMCV



Tropicalised +43°

Made in
Europe

REFERENCE	OUTSIDE DIMENSIONS	INSIDE DIMENSIONS	VOLUME	WALL THICKNESS
MCB097x177	L 970 x P 1770 x H 2000 MM	L 800 x P 1600 x H 1830 MM	2,34 M³	85 MM
MCB097x217	L 970 x P 2170 x H 2000 MM	L 800 x P 2000 x H 1830 MM	2,93 M³	85 MM
MCB137x177	L 1370 x P 1770 x H 2000 MM	L 1200 x P 1600 x H 1830 MM	3,51 M³	85 MM
MCB137x217	L 1370 x P 2170 x H 2000 MM	L 1200 x P 2000 x H 1830 MM	4,39 M³	85 MM
MCB137x257	L 1370 x P 2570 x H 2000 MM	L 1200 x P 2400 x H 1830 MM	5,27 M³	85 MM
MCB157x177	L 1570 x P 1770 x H 2000 MM	L 1400 x P 1600 x H 1830 MM	4,10 M³	85 MM
MCB157x217	L 1570 x P 2170 x H 2000 MM	L 1400 x P 2000 x H 1830 MM	5,12 M³	85 MM
MCB157x257	L 1570 x P 2570 x H 2000 MM	L 1400 x P 2400 x H 1830 MM	6,15 M³	85 MM
MCB177x177	L 1770 x P 1770 x H 2000 MM	L 1600 x P 1600 x H 1830 MM	4,68 M³	85 MM
MCB177x197	L 1770 x P 1970 x H 2000 MM	L 1600 x P 1800 x H 1830 MM	5,27 M³	85 MM
MCB177x217	L 1770 x P 2170 x H 2000 MM	L 1600 x P 2000 x H 1830 MM	5,86 M³	85 MM
MCB177x237	L 1770 x P 2370 x H 2000 MM	L 1600 x P 2200 x H 1830 MM	6,44 M³	85 MM
MCB177x257	L 1770 x P 2570 x H 2000 MM	L 1600 x P 2400 x H 1830 MM	7,03 M³	85 MM
MCB177x277	L 1770 x P 2770 x H 2000 MM	L 1600 x P 2600 x H 1830 MM	7,61 M³	85 MM
MCB197x217	L 1970 x P 2170 x H 2000 MM	L 1800 x P 2000 x H 1830 MM	6,59 M³	85 MM
MCB197x257	L 1970 x P 2570 x H 2000 MM	L 1800 x P 2400 x H 1830 MM	7,91 M³	85 MM
MCB217x217	L 2170 x P 2170 x H 2000 MM	L 2000 x P 2000 x H 1830 MM	7,32 M³	85 MM
MCB217x237	L 2170 x P 2370 x H 2000 MM	L 2000 x P 2200 x H 1830 MM	8,05 M³	85 MM
MCB217x257	L 2170 x P 2570 x H 2000 MM	L 2000 x P 2400 x H 1830 MM	8,78 M³	85 MM
MCB217x277	L 2170 x P 2770 x H 2000 MM	L 2000 x P 2600 x H 1830 MM	9,52 M³	85 MM

REFERENCE	OUTSIDE DIMENSIONS	VOLUME MAX ON +0°C (TEMP. AMB. +43°C)	POWER	WEIGHT
FMCV-0001	L 455 x P 810 x H 700 MM	6,9 M³	5/8 HP - 0,91 kW	50 KG
FMCV-0002	L 455 x P 810 x H 700 MM	9,6 M³	3/4 HP - 1,28 kW	50 KG



R404A



230V1



-5°/+5°



**CELLULE PROFESSIONNELLE
NÉGATIVE ET MONOBLOC
DE PAROI**

**NEGATIEVE PROFESSIONELE
CEL EN WANDKOELGROEP**

**NEGATIF PROFESSIONNAL
CEL AND WALL UNIT**

MCB



FBCV



Tropicalised +43°

Made in
Europe

REFERENCE	OUTSIDE DIMENSIONS	INSIDE DIMENSIONS	VOLUME	WALL THICKNESS
MCB097x177N	L 970 x P 1770 x H 2000 MM	L 800 x P 1600 x H 1830 MM	2,34 M³	85 MM
MCB097x217N	L 970 x P 2170 x H 2000 MM	L 800 x P 2000 x H 1830 MM	2,93 M³	85 MM
MCB137x177N	L 1370 x P 1770 x H 2000 MM	L 1200 x P 1600 x H 1830 MM	3,51 M³	85 MM
MCB137x217N	L 1370 x P 2170 x H 2000 MM	L 1200 x P 2000 x H 1830 MM	4,39 M³	85 MM
MCB137x257N	L 1370 x P 2570 x H 2000 MM	L 1200 x P 2400 x H 1830 MM	5,27 M³	85 MM
MCB157x177N	L 1570 x P 1770 x H 2000 MM	L 1400 x P 1600 x H 1830 MM	4,10 M³	85 MM
MCB157x217N	L 1570 x P 2170 x H 2000 MM	L 1400 x P 2000 x H 1830 MM	5,12 M³	85 MM
MCB157x257N	L 1570 x P 2570 x H 2000 MM	L 1400 x P 2400 x H 1830 MM	6,15 M³	85 MM
MCB177x177N	L 1770 x P 1770 x H 2000 MM	L 1600 x P 1600 x H 1830 MM	4,68 M³	85 MM
MCB177x197N	L 1770 x P 1970 x H 2000 MM	L 1600 x P 1800 x H 1830 MM	5,27 M³	85 MM
MCB177x217N	L 1770 x P 2170 x H 2000 MM	L 1600 x P 2000 x H 1830 MM	5,86 M³	85 MM
MCB177x237N	L 1770 x P 2370 x H 2000 MM	L 1600 x P 2200 x H 1830 MM	6,44 M³	85 MM
MCB177x257N	L 1770 x P 2570 x H 2000 MM	L 1600 x P 2400 x H 1830 MM	7,03 M³	85 MM
MCB177x277N	L 1770 x P 2770 x H 2000 MM	L 1600 x P 2600 x H 1830 MM	7,61 M³	85 MM
MCB197x217N	L 1970 x P 2170 x H 2000 MM	L 1800 x P 2000 x H 1830 MM	6,59 M³	85 MM
MCB197x257N	L 1970 x P 2570 x H 2000 MM	L 1800 x P 2400 x H 1830 MM	7,91 M³	85 MM
MCB217x217N	L 2170 x P 2170 x H 2000 MM	L 2000 x P 2000 x H 1830 MM	7,32 M³	85 MM
MCB217x237N	L 2170 x P 2370 x H 2000 MM	L 2000 x P 2200 x H 1830 MM	8,05 M³	85 MM
MCB217x257N	L 2170 x P 2570 x H 2000 MM	L 2000 x P 2400 x H 1830 MM	8,78 M³	85 MM
MCB217x277N	L 2170 x P 2770 x H 2000 MM	L 2000 x P 2600 x H 1830 MM	9,52 M³	85 MM

REFERENCE	OUTSIDE DIMENSIONS	VOLUME MAX ON +0°C (TEMP. AMB. +43°C)	POWER	WEIGHT
FBCV-0001	L 455 x P 810 x H 700 MM	4,2 M³	1 1/5 HP - 0,84 kW	50 KG
FBCV-0002	L 455 x P 810 x H 700 MM	10,6 M³	2 HP - 1,48 kW	50 KG



R404A



230V1



-25°/-15°

CommercialCooling



RAYONNAGE LINÉAIRE

4 NIVEAUX POUR CELLULES
PROFESSIONNELLES

LINEAIRE REKKEN

4 NIVEAU'S VOOR
PROFESSIONELE CELLEN

LINEAR SHELVES

4 LEVELS FOR
PROFESSIONAL CELLS



Made in
Europe

REFERENCE	DIMENSIONS
A	L 717 x P 365 x H 1700 MM
B	L 799 x P 365 x H 1700 MM
C	L 881 x P 365 x H 1700 MM
D	L 963 x P 365 x H 1700 MM
E	L 1045 x P 365 x H 1700 MM
F	L 1127 x P 365 x H 1700 MM
G	L 1291 x P 365 x H 1700 MM
H	L 1373 x P 365 x H 1700 MM
I	L 1455 x P 365 x H 1700 MM

REFERENCE	DIMENSIONS
B + C	L 1652 x P 365 x H 1700 MM
C + C	L 1734 x P 365 x H 1700 MM
C + D	L 1816 x P 365 x H 1700 MM
D + D	L 1898 x P 365 x H 1700 MM
D + E	L 1980 x P 365 x H 1700 MM
E + E	L 2062 x P 365 x H 1700 MM
E + F	L 2144 x P 365 x H 1700 MM
F + F	L 2226 x P 365 x H 1700 MM
F + G	L 2390 x P 365 x H 1700 MM
F + H	L 2472 x P 365 x H 1700 MM
F + G	L 2554 x P 365 x H 1700 MM
G + H	L 2636 x P 365 x H 1700 MM
H + H	L 2718 x P 365 x H 1700 MM
H + I	L 2800 x P 365 x H 1700 MM
I + I	L 2882 x P 365 x H 1700 MM





GastronormCooling

**SALADETTE RÉFRIGÉRÉE
AVEC TOP EN INOX**

**GEKOELDE SALADETTE
MET RVS WERKBLAD**

**REFRIGERATED SALADETTE
WITH STAINLESS STEEL WORKTOP**

FMET1000



FMET1003

Made in
China

REFERENCE	DIMENSIONS	VOLUME	DOORS	POWER	WEIGHT
FMET1000	L 900 x P 700 x H 870 MM	240 L	2	0,21 kW	80 KG
FMET1003	L 1365 x P 700 x H 870 MM	368 L	3	0,40 kW	130 KG



R 134A



230V1



+2°/+8°

**SALADETTE RÉFRIGÉRÉE
AVEC STRUCTURE
INCORPORÉE**

**GEKOELDE SALADETTE
MET GEÏNTEGREERDE
STRUCTUUR**

**REFRIGERATED SALADETTE
WITH INTEGRATED
STRUCTURE**

FMET1000C



FMET1003C

Made in
China

REFERENCE	DIMENSIONS	VOLUME	DOORS / GN (OPTION)	POWER	WEIGHT
FMET1000C	L 900 x P 700 x H 870 MM	240 L	2 / 2 * GN 1/1 + 3 * GN 1/6	0,21 kW	80 KG
FMET1003C	L 1365 x P 700 x H 870 MM	368 L	3 / 4 * GN 1/1	0,40 kW	130 KG



R 134A



230V1



+2°/+8°



SALADETTE RÉFRIGÉRÉE
AVEC STRUCTURE
INCORPORÉE VITRÉE

GEKOELDE SALADETTE
MET GEÏNTEGREERDE
STRUCTUUR MET GLAS

REFRIGERATED SALADETTE
WITH INTEGRATED
STRUCTURE WITH GLASS

FMET1000CV



FMET1003CV



REFERENCE	DIMENSIONS	VOLUME	DOORS / GN (OPTION)	POWER	WEIGHT
FMET1000CV	L 900 x P 700 x H 1330 MM	240 L	2 / 2 * GN 1/1 + 3 * GN 1/6	0,21 kW	80 KG
FMET1003CV	L 1365 x P 700 x H 1330 MM	368 L	3 / 4 * GN 1/1	0,40 kW	130 KG



R 134A



230V1



+2°/+8°

SALADETTE RÉFRIGÉRÉE
AVEC STRUCTURE
INCORPORÉE

GEKOELDE SALADETTE
MET GEÏNTEGREERDE
STRUCTUUR

REFRIGERATED SALADETTE
WITH INTEGRATED
STRUCTURE

FMET1000EN



FMET1003EN



REFERENCE	DIMENSIONS	VOLUME	DOORS / GN (OPTION)	POWER	WEIGHT
FMET1000EN	L 900 x P 700 x H 950 MM	254 L	2 / 5 * GN 1/6	0,21 kW	80 KG
FMET1003EN	L 1365 x P 700 x H 950 MM	388 L	3 / 8 * GN 1/6	0,40 kW	130 KG



R 134A



230V1



+2°/+8°

Made in
China

Made in
China





GastronormCooling

TABLE RÉFRIGÉRÉE SERIE 600

GEKOELDE WERKTAFEL SERIE 600

REFRIGERATED COUNTER SERIE 600

Made in
Europe



FTAB6002



FTAB6003



FTAB6004

Tropicalised +43°

REFERENCE	DIMENSIONS	VOLUME	DOORS	POWER	WEIGHT
FTAB6002	L 1460 x P 600 x H 850 MM	270 L	2	0,50 kW	83 KG
FTAB6003	L 1910 x P 600 x H 850 MM	400 L	3	0,50 kW	100 KG
FTAB6004	L 2360 x P 600 x H 850 MM	530 L	4	0,50 kW	116 KG



R 404A



230V1



+0°/+10°

TABLE DE CONGÉLATION SERIE 600

DIEPVRIES WERKTAFEL SERIE 600

FREEZING COUNTER SERIE 600

FSTEC2BT



FSTEC3BT



Made in
Europe

REFERENCE	DIMENSIONS	VOLUME	DOORS	POWER	WEIGHT
FSFEC2BT	L 1468 x P 600 x H 850 MM	230 L	2	0,53 kW	111 KG
FSFEC3BT	L 1960 x P 600 x H 850 MM	350 L	3	0,67 kW	146 KG
FSFEC4BT	L 2452 x P 600 x H 850 MM	475 L	4	0,75 kW	205 KG



R 404A



230V1



-18°



TABLE RÉFRIGÉRÉE
SERIE 700



FDIAM2

GEKOELDE WERKTAFEL
SERIE 700



FDIAM3

REFRIGERATED COUNTER
SERIE 700



FDIAM4

Tropicalised +43°

Made in
Europe

REFERENCE	DIMENSIONS	VOLUME	DOORS	POWER	WEIGHT
FDIAM2	L 1420 x P 700 x H 850 MM	310 L	2	0,50 kW	86 KG
FDIAM3	L 1870 x P 700 x H 850 MM	460 L	3	0,50 kW	102 KG
FDIAM4	L 2320 x P 700 x H 850 MM	620 L	4	0,50 kW	118 KG



R 404A



230V1



+0°/+10°

TABLE RÉFRIGÉRÉE
AVEC ÉVIER SERIE 700



FDIAM2F

GEKOELDE WERKTAFEL
MET SPOELBAK SERIE 700



FDIAM3F

REFRIGERATED COUNTER
WITH SINK SERIE 700



FDIAM4F

Tropicalised +43°

Made in
Europe

REFERENCE	DIMENSIONS	VOLUME	DOORS	POWER	WEIGHT
FDIAM2F	L 1420 x P 700 x H 1150 MM	310 L	2	0,50 kW	88 KG
FDIAM3F	L 1870 x P 700 x H 1150 MM	460 L	3	0,50 kW	108 KG
FDIAM4F	L 2320 x P 700 x H 1150 MM	620 L	4	0,50 kW	125 KG



R 404A



230V1



+0°/+10°





GastronormCooling

TABLE RÉFRIGÉRÉE
AVEC STRUCTURE
INCORPORÉE SERIE 700

GEKOELDE WERKTAFEL
MET INGEBOUWDE
STRUCTUUR SERIE 700

REFRIGERATED COUNTER
WITH INCORPORATED
STRUCTURE SERIE 700

Made in
Europe



FDIAM2EN



FDIAM3EN



FDIAM4EN

Tropicalised +43°

REFERENCE	DIMENSIONS	VOLUME	DOORS	POWER	WEIGHT
FDIAM2EN	L 1420 x P 700 x H 950 MM	310 L	2	0,50 kW	114 KG
FDIAM3EN	L 1870 x P 700 x H 950 MM	460 L	3	0,50 kW	136 KG
FDIAM4EN	L 2320 x P 700 x H 950 MM	620 L	4	0,50 kW	156 KG



R 404A



230V1



+0°/+10°

TABLE RÉFRIGÉRÉE
SANS GROUPE SERIE 700

GEKOELDE WERKTAFEL
ZONDER GROEP SERIE 700

REFRIGERATED COUNTER
WITHOUT REFRIGERATED UNIT
SERIE 700

Made in
Europe



FDIAM2GR



FDIAM3GR



FDIAM4GR

Tropicalised +43°

REFERENCE	DIMENSIONS	VOLUME	DOORS	POWER	WEIGHT
FDIAM2GR	L 1200 x P 700 x H 850 MM	310 L	2	0,04 kW	56 KG
FDIAM3GR	L 1650 x P 700 x H 850 MM	460 L	3	0,04 kW	71 KG
FDIAM4GR	L 2100 x P 700 x H 850 MM	620 L	4	0,04 kW	88 KG



R 404A



230V1



+0°/+10°

GastronormCooling



TABLE DE CONGÉLATION SERIE 700



FTAB2BT

DIEPVRIES WERKTAFEL SERIE 700



FTAB3BT

FREEZING COUNTER SERIE 700



FTAB4BT

Tropicalised +43°

REFERENCE	DIMENSIONS	VOLUME	DOORS	POWER	WEIGHT
FTAB2BT	L 1420 x P 715 x H 850 MM	310 L	2	0,66 kW	99 KG
FTAB3BT	L 1870 x P 715 x H 850 MM	460 L	3	0,70 kW	127 KG
FTAB4BT	L 2320 x P 715 x H 850 MM	620 L	4	0,73 kW	152 KG



R 404A



230V1



-22°/-18°

SOUBASSEMENT RÉFRIGÉRÉE

FMSG1400P



GEKOELDE ONDERTAFEL

REFRIGERATED COUNTER BASE



FMSG2000

REFERENCE	DIMENSIONS	VOLUME	DOORS	POWER	WEIGHT
FMSG1000P	L 1000 x P 650 x H 640 MM	75 L	1	0,33 kW	88 KG
FMSG1400P	L 1400 x P 650 x H 640 MM	170 L	2	0,42 kW	108 KG
FMSG2000P	L 2000 x P 650 x H 640 MM	265 L	3	0,46 kW	125 KG
FMSG2000P	L 2400 x P 650 x H 640 MM	360 L	4	0,59 kW	126 KG

REFERENCE	DIMENSIONS	VOLUME	DRAWERS	POWER	WEIGHT
FMSG1000	L 1000 x P 650 x H 640 MM	75 L	2	0,33 kW	88 KG
FMSG1400	L 1400 x P 650 x H 640 MM	170 L	4	0,42 kW	108 KG
FMSG2000	L 2000 x P 650 x H 640 MM	265 L	6	0,46 kW	125 KG
FMSG2000	L 2400 x P 650 x H 640 MM	360 L	8	0,59 kW	126 KG



R 134A



230V1



-2°/-8°

Made in
Europe

Made in
Europe





GastronormCooling

ARMOIRE RÉFRIGÉRÉE

GEKOELDE KAST

COOLING CABINET



FKICPR20



FKICPR60



FKICPRX20



FKICPRX60

Made in
China

REFERENCE	DIMENSIONS	CAPACITY	COLOUR	POWER	WEIGHT
FKICPR20	L 600 x P 615 x H 870 MM	140 L	White	0,21 kW	44 KG
FKICPR40	L 600 x P 615 x H 1870 MM	360 L	White	0,21 kW	69 KG
FKICPR60	L 775 x P 735 x H 1870 MM	580 L	White	0,21 kW	90 KG
FKICPRX20	L 600 x P 615 x H 870 MM	140 L	Stainless steel	0,21 kW	44 KG
FKICPRX40	L 600 x P 615 x H 1870 MM	360 L	Stainless steel	0,21 kW	69 KG
FKICPRX60	L 775 x P 735 x H 1870 MM	580 L	Stainless steel	0,21 kW	90 KG



R 134A



230V1



+0°/+10°

ARMOIRE DE CONGÉLATION

VRIES KAST

FREEZING CABINET



FKICN20



FKICN60



FKICNX20



FKICNX60

Made in
China

REFERENCE	DIMENSIONS	CAPACITY	COLOUR	POWER	WEIGHT
FKICN20	L 600 x P 615 x H 870 MM	140 L	White	0,21 kW	45 KG
FKICN40	L 600 x P 615 x H 1870 MM	360 L	White	0,21 kW	74 KG
FKICN60	L 775 x P 735 x H 1870 MM	580 L	White	0,21 kW	94 KG
FKICNX20	L 600 x P 615 x H 870 MM	140 L	Stainless steel	0,21 kW	45 KG
FKICNX40	L 600 x P 615 x H 1870 MM	360 L	Stainless steel	0,21 kW	74 KG
FKICNX60	L 775 x P 735 x H 1870 MM	580 L	Stainless steel	0,21 kW	94 KG



R 134A



230V1



-25°/-10°



ARMOIRE RÉFRIGÉRÉE

GEKOELDE KAST

COOLING CABINET

FGN700TN



FGN1400TN



Tropicalised +43°

REFERENCE	DIMENSIONS	VOLUME	DOORS	POWER	WEIGHT
FGN400TN	L 600 x P 620 x H 1900 MM	400 L	1	0,39 kW	168 KG
FGN700TN	L 710 x P 800 x H 2030 MM	700 L	1	0,39 kW	110 KG
FGN1400TN	L 1420 x P 800 x H 2030 MM	1400 L	2	0,57 kW	150 KG



R 404A



230V1



+0°/+10°

ARMOIRE DE CONGÉLATION

VRIES KAST

FREEZING CABINET

FGN700BTN



FGN1400BTN



Tropicalised +43°

REFERENCE	DIMENSIONS	VOLUME	DOORS	POWER	WEIGHT
FGN400BTN	L 600 x P 620 x H 1900 MM	400 L	1	0,65 kW	80 KG
FGN700BTN	L 710 x P 800 x H 2030 MM	700 L	1	0,65 kW	122 KG
FGN1400BTN	L 1420 x P 800 x H 2030 MM	1400 L	2	0,70 kW	159 KG



R 404A



230V1



-22°/-18°

Made in
Europe

Made in
Europe





STRUCTURE RÉFRIGÉRÉE GN 1/3

GEKOELDE STRUCTUUR GN 1/3

REFRIGERATED STRUCTURE GN 1/3

FV18C13



FV18T13

Made in
China

REFERENCE	DIMENSIONS	GN 1/3 (OPTION)	POWER	WEIGHT
FV12C13	L 1200 x P 395 x H 435 MM	4	0,15 kW	45 KG
FV15C13	L 1500 x P 395 x H 435 MM	6	0,15 kW	50 KG
FV18C13	L 1800 x P 395 x H 435 MM	8	0,15 kW	56 KG
FV20C13	L 2000 x P 395 x H 435 MM	9	0,15 kW	61 KG
FV12T13	L 1200 x P 395 x H 255 MM	4	0,15 kW	29 KG
FV15T13	L 1500 x P 395 x H 255 MM	6	0,15 kW	32 KG
FV18T13	L 1800 x P 395 x H 255 MM	8	0,15 kW	36 KG
FV20T13	L 2000 x P 395 x H 255 MM	9	0,15 kW	39 KG



R 134A



230V1



-2°/+8°

STRUCTURE RÉFRIGÉRÉE GN 1/4

GEKOELDE STRUCTUUR GN 1/4

REFRIGERATED STRUCTURE GN 1/4

FV20C14



FV20T14

Made in
China

REFERENCE	DIMENSIONS	GN 1/4 (OPTION)	POWER	WEIGHT
FV12C14	L 1200 x P 335 x H 435 MM	5	0,15 kW	43 KG
FV15C14	L 1500 x P 335 x H 435 MM	7	0,15 kW	48 KG
FV18C14	L 1800 x P 335 x H 435 MM	8	0,15 kW	54 KG
FV20C14	L 2000 x P 335 x H 435 MM	10	0,15 kW	59 KG
FV12T14	L 1200 x P 335 x H 255 MM	5	0,15 kW	27 KG
FV15T14	L 1500 x P 335 x H 255 MM	7	0,15 kW	30 KG
FV18T14	L 1800 x P 335 x H 255 MM	8	0,15 kW	34 KG
FV20T14	L 2000 x P 335 x H 255 MM	10	0,15 kW	37 KG



R 134A



230V1



-2°/+8°

Great Distribution, Butchery & Fish




COMPTOIR RÉFRIGÉRÉ VENTILÉ POUR VIANDE

GEVENTILEERDE GEKOELDE TOONBANK VOOR VLEES

VENTILATED REFRIGERATED SHOWCASE FOR MEAT

Made in
Europe



Evaporator treated with anti-corrosion coating - With refrigerated storage

REFERENCE	DIMENSIONS	EXPOSITION SURFACE	POWER	WEIGHT
LVMC9R	L 938 x P 1103 x H 1300 MM	L 938 x P 810 MM (0,76 M²)	0,73 kW	134 KG
LVMC12R	L 1250 x P 1103 x H 1300 MM	L 1250 x P 810 MM (1,01 M²)	0,98 kW	154 KG
LVMC15R	L 1562 x P 1103 x H 1300 MM	L 1562 x P 810 MM (1,27 M²)	1,03 kW	186 KG
LVMC18R	L 1875 x P 1103 x H 1300 MM	L 1875 x P 810 MM (1,52 M²)	1,26 kW	206 KG
LVMC25R	L 2500 x P 1103 x H 1300 MM	L 2500 x P 810 MM (2,03 M²)	1,52 kW	230 KG



R 404A



230V1




+0°/+6°

COMPTOIR RÉFRIGÉRÉ STATIQUE POUR POISSON

STATISCH GEKOELDE TOONBANK VOOR VIS

STATIC REFRIGERATED SHOWCASE FOR FISH



Interior & exterior AISI 304 18/10 - Evaporator coil coated with anti-corrosion material 100% polyester

REFERENCE	DIMENSIONS	EXPOSITION SURFACE	POWER	WEIGHT
LVML12	L 1250 x P 900 x H 1335 MM	L 1250 x P 635 MM (0,79 M²)	0,62 kW	142 KG
LVML15	L 1562 x P 900 x H 1335 MM	L 1562 x P 635 MM (0,99 M²)	0,90 kW	163 KG
LVML18	L 1875 x P 900 x H 1335 MM	L 1875 x P 635 MM (1,19 M²)	1,19 kW	187 KG



R 134A



230V1



-1°/+1°





Great Distribution, Butchery & Fish

**ETAL À POISSON AVEC
SYSTÈME À OZONE**

**VISBANK MET OZONE
SYSTEEM**

**FISH COUNTER WITH
OZONE SYSTEM**

Made in
Europe



LOZONEP

Made in
Europe

REFERENCE	DIMENSIONS	EXPOSITION SURFACE	WEIGHT
LETALP100	L 985 x P 950 x H 1045 MM	L 985 x P 950 MM (0,94 M²)	51 KG
LETALP200	L 1900 x P 950 x H 1045 MM	L 1900 x P 950 MM (1,81 M²)	116 KG
LETALP300	L 2912 x P 950 x H 1045 MM	L 2912 x P 950 MM (2,77 M²)	167 KG
LETALPEXT	L 985 x P 867 x H 1279 MM	L 985 x P 867 MM (0,85 M²)	30 KG
LETALPANGLE	L 1290 x P 960 x H 256 MM	L 1290 x P 960 MM (1,24 M²)	11 KG
LETALVITRE	L 960 x P 500 x H 572 MM	L 960 x P 500 MM (0,48 M²)	5 KG
LETALCORBEILLE	L 303 x P 260 x H 148 MM	-	2 KG
LETALDECOUPE	L 500 x P 300 x H 125 MM	-	5 KG

REFERENCE	DIMENSIONS	FIELD OF ACTION	POWER	WEIGHT
LOZONEP	L 450 x P 215 x H 450 MM	0 - 10 M	0,07 KW	18 KG

GreatDistribution, Butchery & Fish



**CONSERVATEUR
PANORAMIQUE**

**PANORAMISCH
DIEPVRIESEILAND**

**PANORAMIC
CONSERVATOR**



Made in
Europe

REFERENCE	DIMENSIONS	VOLUME	POWER	WEIGHT
LGT89	L 1550 x P 960 x H 780 MM	459 L	0,52 kW	134 KG
LGT91	L 2050 x P 960 x H 780 MM	652 L	0,59 kW	154 KG
LGT94	L 2505 x P 960 x H 780 MM	805 L	0,59 kW	186 KG



R 134A



230V1



-25°/-20°

**ARMOIRE RÉFRIGÉRÉE
POUR VIANDE OU POISSON**

**GEKOELDE KAST
VOOR VLEES OF VIS**

**COOLING CABINET
FOR MEAT OR FISH**

LGN700TNV



LGN1400TNV



LGN700TNP



LGN1400TNP

Made in
Europe

Tropicalised +43°

REFERENCE	DIMENSIONS	VOLUME	TYPE	DOORS	POWER	WEIGHT
LGN700TNV	L 710 x P 800 x H 2030 MM	700 L	MEAT	1	0,57 kW	113 KG
LGN1400TNV	L 1420 x P 800 x H 2030 MM	1400 L	MEAT	2	0,70 kW	155 KG
LGN700TNP	L 710 x P 800 x H 2030 MM	700 L	FISH	1	0,39 kW	110 KG
LGN1400TNP	L 1420 x P 800 x H 2030 MM	1400 L	FISH	2	0,57 kW	150 KG



LGN700TNV
LGN1400TNV +0°/+10°



R 134A



230V1



-2°/+8°

LGN700TNP
LGN1400TNP





Great Distribution, Butchery & Fish

MEUBLE MURAL RÉFRIGÉRÉ ÉTROIT

LSPD61
With night curtain



ONDIEPE GEKOELDE WANDMEUBEL



NARROW REFRIGERATED WALL CABINET

LSPD61...SD
With sliding doors

Made in
Europe

REFERENCE	DIMENSIONS	EXPOSITION SURFACE	SLIDING DOORS	POWER	WEIGHT
LSPD6125	L 1330 x P 600 x H 1970 MM	1,95 m ²	NO	1,60 kW	170 KG
LSPD6150	L 1580 x P 600 x H 1970 MM	2,35 m ²	NO	1,60 kW	225 KG
LSPD6187	L 1955 x P 600 x H 1970 MM	2,94 m ²	NO	2,66 kW	255 KG
LSPD6125SD	L 1330 x P 600 x H 1970 MM	1,95 m ²	YES	1,60 kW	170 KG
LSPD6150SD	L 1580 x P 600 x H 1970 MM	2,35 m ²	YES	1,60 kW	225 KG
LSPD6187SD	L 1955 x P 600 x H 1970 MM	2,94 m ²	YES	2,66 kW	255 KG



R 134A



230V1



+3°/+5°

MEUBLE MURAL RÉFRIGÉRÉ PROFOND

LSPD81
With night curtain



DIEPE GEKOELDE WANDMEUBEL



DEEP REFRIGERATED WALL CABINET

LSPD81...SD
With sliding doors

Made in
Europe

REFERENCE	DIMENSIONS	EXPOSITION SURFACE	SLIDING DOORS	POWER	WEIGHT
LSPD8125	L 1330 x P 734 x H 2040 MM	2,60 m ²	NO	1,60 kW	210 KG
LSPD8150	L 1580 x P 734 x H 2040 MM	3,10 m ²	NO	1,60 kW	240 KG
LSPD8187	L 1955 x P 734 x H 2040 MM	3,80 m ²	NO	2,66 kW	280 KG
LSPD8200	L 2080 x P 734 x H 2040 MM	4,10 m ³	NO	2,66 kW	300 KG
LSPD8125SD	L 1330 x P 734 x H 2040 MM	2,60 m ²	YES	1,60 kW	210 KG
LSPD8150SD	L 1580 x P 734 x H 2040 MM	3,10 m ²	YES	1,60 kW	240 KG
LSPD8187SD	L 1955 x P 734 x H 2040 MM	3,80 m ²	YES	2,66 kW	280 KG
LSPD8200SD	L 2080 x P 734 x H 2040 MM	4,10 m ³	YES	2,66 kW	300 KG



R 134A



230V1



+3°/+5°

SelfService & Collectivity



STRUCTURE À CUVE RÉFRIGÉRÉE

STRUCTUUR MET GEKOELDE KUIP

STRUCTURE WITH REFRIGERATED TANK



Made in
Europe

REFERENCE	DIMENSIONS	GN (OPTION)	POWER	WEIGHT
SS4N	L 1085 x P 395 x H 245 MM	4 x GN 1/3 - MAX H 40 MM	0,16 kW	25 KG
SS6N	L 1438 x P 395 x H 245 MM	6 x GN 1/3 - MAX H 40 MM	0,16 kW	30 KG
SS8N	L 1788 x P 395 x H 245 MM	8 x GN 1/3 - MAX H 40 MM	0,17 kW	35 KG
SS10N	L 2140 x P 395 x H 245 MM	10 x GN 1/3 - MAX H 40 MM	0,22 kW	40 KG



R 134A



230V1



+2°/+5°

STRUCTURE BAIN-MARIE

BAIN-MARIE STRUCTUUR

BAIN-MARIE STRUCTURE



Made in
Europe

REFERENCE	DIMENSIONS	GN (OPTION)	POWER	WEIGHT
S2B	L 690 x P 640 x H 300 MM	6 x GN 1/3 - MAX H 65 MM	0,8 kW	42 KG
S3B	L 1018 x P 640 x H 300 MM	9 x GN 1/3 - MAX H 65 MM	1 kW	48 KG



230V1



+30°/+70°





SelfService & Collectivity

VITRINE D'EXPOSITION 360°

**360° TENTOONSTELLINGS-
VITRINE**

360° EXPOSITION CABINET



Made in
Europe

REFERENCE	DIMENSIONS	POWER	WEIGHT
SS360°	Ø 950 x 750 MM	0,27 kW	62 KG



R 134A



230V1



+8°/+12°

**VITRINE D'EXPOSITION
CHAUFFANTE**

**VERWARMDE
TENTOONSTELLINGSVITRINE**

HOT EXPOSITION CABINET



Made in
Europe

REFERENCE	DIMENSIONS	GN (OPTION)	POWER	WEIGHT
SCX2	L 695 x P 670 x H 365 MM	6 x GN 1/4 - MAX H 65 MM	1,2 kW	40 KG
SCX3	L 1020 x P 670 x H 365 MM	9 x GN 1/4 - MAX H 65 MM	1,2 kW	48 KG



230V1



+0°/+70°

SelfService & Collectivity



BUFFET RÉFRIGÉRÉ

GEKOELD BUFFET

COOLED BUFFET



Made in
Europe

REFERENCE	DIMENSIONS	GN (OPTION)	POWER	WEIGHT
SBUFFETCOOL4	L 1505 x P 890 x H 1320 MM	4 x GN 1/1 - MAX H 150 MM	0,22 kW	130 KG



230V1



+2°/+10°

BUFFET CHAUFFANT

VERWARMD BUFFET

HOT BUFFET



Made in
Europe

REFERENCE	DIMENSIONS	GN (OPTION)	POWER	WEIGHT
SBUFFETHOT4	L 1505 x P 890 x H 1320 MM	4 x GN 1/1 - MAX H 150 MM	0,5 kW	130 KG



230V1



+30°/+90°





IceCream & TeaRoom

GAUFRIER

WAFELIJZER

WAFFLE MAKER

GGAUFFRIERBXL



GGAUFFRIERLIEGE



Made in Europe

REFERENCE	DIMENSIONS	PLATE	POWER	WEIGHT
GGAUFFRIERBXL	L 300 x P 450 x H 250 MM	4 x 6	2 kW	20 KG
GGAUFFRIERLIEGE	L 480 x P 320 x H 226 MM	4 x 6	1,5 kW	28 KG



230V1



+50°/+275°

CRÊPIÈRE


PANNENKOEKENPLAAT

PANCAKES MAKER

ICREPSE



ICREPDE



Made in Europe

REFERENCE	DIMENSIONS	PLATE	Ø	POWER	WEIGHT
ICREPSE	L 450 x P 485 x H 240 MM	1	400 MM	3 kW	20 KG
ICREPDE	L 860 x P 485 x H 240 MM	2	400 MM	6 kW	30 KG
ICREPSG	L 400 x P 500 x H 240 MM	1	350 MM	5,5 kW	19 KG
ICREPDG	L 800 x P 485 x H 240 MM	2	350 MM	11 kW	38 KG



ICREPSE
ICREPDE 230V1



Gas

ICREPSG
ICREPDG



MACHINE À GRANITA

GRANITA MACHINE

SLUSH MACHINE

GRANITA1



GRANITA2



GRANITA3



Made in
Europe

REFERENCE	DIMENSIONS	CAPACITY	POWER	WEIGHT
GRANITA1	L 200 x P 480 x H 840 MM	1 x 10 L	0,53 kW	33 KG
GRANITA2	L 400 x P 480 x H 840 MM	2 x 10 L	0,85 kW	52 KG
GRANITA3	L 600 x P 480 x H 840 MM	3 x 10 L	1,10 kW	78 KG



R 404A



230V1

CONSERVATEUR À GLACE

IJSKOFFER

ICE-CREAM CONSERVATOR

GCG30C



GCG50C



Made in
Turkey

REFERENCE	DIMENSIONS	VOLUME	POWER	WEIGHT
GCG30C	L 1014 x P 634 x H 820 MM	296 L	0,19 kW	55 KG
GCG50C	L 1554 x P 634 x H 820 MM	493 L	0,26 kW	76 KG



R 134A



230V1



-23°/-13°





IceCream & TeaRoom

COMPTOIR À CRÈME GLACÉE

IJSCREME TOONBANK

ICECREAM SHOWCASE

GICE5



GICE7



GSLANTICE



Made in Europe

REFERENCE	DIMENSIONS	BAC 5L	POWER	WEIGHT
GICE5	L 1009 x P 615 x H 949 MM	5	0,22 kW	74 KG
GICE7	L 1296 x P 615 x H 949 MM	7	0,3 kW	105 KG
GSLANTICE	L 1341 x P 725 x H 1235 MM	10 + 12	0,28 kW	100 KG



R 404A



230V1



-25°/-18°

ARMOIRE DE CONGÉLATION POUR CRÈME GLACÉE

VRIES KAST VOOR IJSCREME

FREEZING CABINET FOR ICE CREAM



Interior & exterior AISI 304 18/10 - Evaporator coil coated with anti-corrosion material 100% polyester - max. 54 x ice cream trays 5L

REFERENCE	DIMENSIONS	VOLUME	GRID 600 x 800 MM	POWER	WEIGHT
GAGB901BT	L 756 x P 960 x H 2130 MM	848 L	6	1,43 kW	180 KG



230V1



-25°/-22°

Made in Europe

Washing



**LAVE-VERRE
MÉCANIQUE**
400 X 400 MM

**MECHANISCHE
GLAZENWASSER**
400 X 400 MM

**MECHANIC
GLASS WASHER**
400 X 400 MM



1 washcycles

REFERENCE	DIMENSIONS	HEIGHT OF GLASS	SOFTENER	POWER	WEIGHT
DAE40	L 495 x P 515 x H 735 MM	270 MM	NO	2,8 kW	38 KG
DAE40S	L 495 x P 515 x H 735 MM	270 MM	YES	2,8 kW	39 KG



230V1

**LAVE-VERRE
ÉLECTRONIQUE**
400 X 400 MM

**ELECTRONISCHE
GLAZENWASSER**
400 X 400 MM

**ELECTRONIC GLASS
WASHER**
400 X 400 MM

With breaktank system (DEVO40)
5 washcycles
Stainless steel arms



REFERENCE	DIMENSIONS	HEIGHT OF GLASS	SOFTENER	POWER	WEIGHT
DEVO40	L 495 x P 665 x H 735 MM	270 MM	NO	2,8 kW	38 KG
DEVO40S	L 495 x P 515 x H 735 MM	270 MM	YES	2,8 kW	39 KG



230V1

Made in
Europe

Made in
Europe





Washing

LAVE-VAISSELLE MÉCANIQUE

500 X 500 MM

MECHANISCHE VAATWASSER

500 X 500 MM

MECHANIC DISH WASHER

500 X 500 MM



2 washcycles

Made in
Europe

REFERENCE	DIMENSIONS	HEIGHT OF DISH	SOFTENER	POWER	WEIGHT
DAE50	L 580 x P 600 x H 825 MM	340 MM	NO	3,4 kW	60 KG
DAE50S	L 580 x P 600 x H 825 MM	340 MM	YES	3,4 kW	60 KG
DAE53	L 580 x P 600 x H 825 MM	340 MM	NO	6,6 kW	60 KG
DAE53S	L 580 x P 600 x H 825 MM	340 MM	YES	6,6 kW	60 KG



DAE50
DAE50S

230V1



400V3N

DAE53
DAE53S

LAVE-VAISSELLE ÉLECTRONIQUE

500 X 500 MM

ELECTRONISCHE VAATWASSER

500 X 500 MM

ELECTRONIC DISH WASHER

500 X 500 MM



With breaktank system
(DEVO50 + DEVO53)
5 washcycles
Stainless steel arms

Made in
Europe

REFERENCE	DIMENSIONS	HEIGHT OF DISH	SOFTENER	POWER	WEIGHT
DEVO50	L 580 x P 750 x H 825 MM	340 MM	NO	3,4 kW	60 KG
DEVO50S	L 580 x P 600 x H 825 MM	340 MM	YES	3,4 kW	60 KG
DEVO53	L 580 x P 750 x H 825 MM	340 MM	NO	6,6 kW	60 KG
DEVO53S	L 580 x P 600 x H 825 MM	340 MM	YES	6,6 kW	60 KG



DEVO50
DEVO50S

230V1



400V3N

DEVO53
DEVO53S

Washing



**LAVE-VAISSELLE
ÉLECTRONIQUE HAUT**
500 X 500 MM

**HOGHE ELECTRONISCHE
VAATWASSER**
500 X 500 MM

**HIGH ELECTRONIC
DISH WASHER**
500 X 500 MM

3 washcycles
stainless steel arms
double insulation skin & door
automatic self cleaning
double filtration



Made in
Europe

REFERENCE	DIMENSIONS	HEIGHT OF DISH	SOFTENER	POWER	WEIGHT
DEVO58	L 640 x P 607 x H 1380 MM	400 MM	NO	6,6 kW	83 KG



400V3N

**TABLE D'ENTRÉE / SORTIE
LAVE-VAISSELLE À CAPÔT**

**IN / UITGANGSTAFEL
KAPVAATWASSER**

**IN / OUT TABLE
HOOD-DISH WASHER**



DLV80D



DLVP120D



DLVPT120D

Made in
Europe

REFERENCE	DIMENSIONS	LEFT / RIGHT	SINK	WASTE HOLE	WEIGHT
DLV80G	L 800 MM	LEFT	NO	NO	20 KG
DLV80D	L 800 MM	RIGHT	NO	NO	20 KG
DLV120G	L 1200 MM	LEFT	NO	NO	26 KG
DLV120D	L 1200 MM	RIGHT	NO	NO	26 KG
DLVP120G	L 1200 MM	LEFT	YES	NO	36 KG
DLVP120D	L 1200 MM	RIGHT	YES	NO	36 KG
DLVPT120G	L 1200 MM	LEFT	YES	YES	34 KG
DLVPT120D	L 1200 MM	RIGHT	YES	YES	34 KG





Washing

**LAVE-VAISSELLE
À CAPOT MÉCANIQUE**
500 X 500 MM

**MECHANISCHE
KAPVAATWASSER**
500 X 500 MM

**MECHANIC HOOD
DISH WASHER**
500 X 500 MM



2 washcycles

REFERENCE	DIMENSIONS	HEIGHT OF DISH	SOFTENER	POWER	WEIGHT
DAE60	L 645 x P 710 x H 1940 MM	420 MM	NO	9,8 kW	130 KG
DAE60S	L 645 x P 710 x H 1940 MM	420 MM	YES	9,8 kW	130 KG



400V3N

Made in
Europe

**LAVE-VAISSELLE
À CAPOT ÉLECTRONIQUE**
500 X 500 MM

**ELECTRONISCHE
KAPVAATWASSER**
500 X 500 MM

**ELECTRONIC HOOD
DISH WASHER**
500 X 500 MM



With breaktank system (DEVO60)
5 washcycles
Stainless steel arms

REFERENCE	DIMENSIONS	HEIGHT OF DISH	SOFTENER	POWER	WEIGHT
DEVO60	L 645 x P 810 x H 1940 MM	420 MM	NO	9,8 kW	130 KG
DEVO60S	L 645 x P 810 x H 1940 MM	420 MM	YES	9,8 kW	130 KG



400V3N

Made in
Europe

Washing



LAVE-BATTERIE ÉLECTRONIQUE

ELECTRONISCHE POTTENWASSER

ELECTRONIC PAN-WASHER



With breaktanksystem (not for DAP91)

REFERENCE	DIMENSIONS	HEIGHT OF DISH	BASKET	POWER	WEIGHT
DAP91	L 720 x P 780 x H 2000 MM	650 MM	560 x 630 MM	8 kW	155 KG
DAP93	L 720 x P 720 x H 2250 MM	850 MM	560 x 630 MM	8 kW	165 KG
DAP94	L 850 x P 850 x H 2250 MM	850 MM	700 x 700 MM	11 kW	190 KG
DAP95	L 1450 x P 850 x H 2250 MM	850 MM	1310 x 700 MM	15,5 kW	295 KG



400V3N

ADOUCCISSEUR D'EAU AUTOMATIQUE

AUTOMATISCHE WATERVERZACHTER

AUTOMATIC WATERSOFTENER



REFERENCE	DIMENSIONS	CAPACITY	CAPACITY AT 20° F	POWER	WEIGHT
DVA8A	L 250 x P 450 x H 440 MM	8 L	1680 L / CYCLE	0,06 kW	15 KG
DVA27A	L 320 x P 500 x H 1120 MM	27 L	5040 L / CYCLE	0,04 kW	32 KG



230V1

Made in
Europe

Made in
Europe



Hygiene

PRODUITS D'ENTRETIEN PROFESSIONNELS

PROFESSIONNELE ONDERHOUDSPRODUCTEN

PROFESSIONNAL CLEANING PRODUCTS

TE-DISH



TE-RINCE



TE-CALC RAPIDO



TE-DEGREASER



TE-OVEN



TE-DIP



TE-FLOOR



TE-INOXREG



TE-INOXLAVE



TE-PULYCAFF



REFERENCE	VOLUME	TYPE
TE-DISH	12 KG	WASHING PRODUCT FOR GLASS & DISHWASHERS
TE-RINCE	10 L	RINCING PRODUCT FOR GLASS & DISHWASHERS
TE-CALC RAPIDO	10 L	DESCALING PRODUCT
TE-DEGREASER	5 L	DEGREASING PRODUCT
TE-OVEN	5 L	CLEANING PRODUCT FOR OVEN
TE-DIP	14 KG	EXTREMELY POWERFUL DEGREASER
TE-FLOOR	10 L	FLOOR CLEANER
TE-INOXREG	400 ML	REGENERATING PRODUCT FOR STAINLESS STEEL
TE-INOXLAVE	1 L	CLEANING PRODUCT FOR STAINLESS STEEL
TE-PULYCAFF	900 ML	CLEANING PRODUCT FOR COFFEE MACHINES



Hygiene

PRODUITS D'ENTRETIEN PROFESSIONNELS

PROFESSIONNELE ONDERHOUDSPRODUCTEN

PROFESSIONNAL CLEANING PRODUCTS

TE-URINO GREEN



TE-MISTER GREEN



TE-HAND CLEAN



TE-SANI CLEAN



TE-PAPIER WC



TE-PAPIER CUISINE



TE-PAPIER MAINS



Made in
Europe

REFERENCE	VOLUME	TYPE
TE-URINO GREEN	10 PCS	URINAL PARFUMED COVER
TE-MISTER GREEN	5 L	LIQUID SOAP FOR DISH
TE-HAND CLEAN	5 L	LIQUID SOAP FOR HANDS
TE-SANI CLEAN	5 L	SANITARY CLEANING PRODUCTS
TE-PAPIER WC	6 PCS	TOILET PAPER
TE-PAPIER MAINS	3600 PCS	PAPER FOR HANDS
TE-PAPIER CUISINE	6 PCS	KITCHEN PAPER



Hygiene

LAVE-MAINS
À COMMANDE À GENOU

HANDENWASBAK
MET KNEEBEDIENING

HANDWASH SINK
WITH KNEE CONTROL

HLMASW



HLMASW90

Made in Europe

REFERENCE	DIMENSIONS	SOAPDISPENSER	FAUCET	WEIGHT
HLMASW	L 400 x P 340 x H 585 MM	YES	YES	8 KG
HLMASW90	L 350 x P 350 x H 515 MM	YES	YES	5,3 KG

SÈCHE-MAINS MURAL
AUTOMATIQUE

AUTOMATISCHE
WANDHANDENDROGER

AUTOMATIC
WALL HAND DRYER



HSMM



HSMMX



HSMMV



HSMMUR

Made in Europe

REFERENCE	DIMENSIONS	SPEED	POWER	WEIGHT
HSMM	L 244 x P 264 x H 200 MM	6000 RPM	2,1 kW	2,6 KG
HSMMX	L 260 x P 235 x H 210 MM	7500 RPM	2,1 kW	4,8 KG
HSMMV	L 295 x P 240 x H 650 MM	25000 RPM	1,8 kW	10,2 KG
HSMMUR	L 343 x P 232 x H 400 MM	35000 RPM	1,75 kW	8 KG



230V1



Hygiene

ROBINET MÉLANGEUR

MENGKRAAN

MIXING FAUCET



REFERENCE	DIMENSIONS	WEIGHT
HGD1300	L 275 x H 275 MM	3 KG
HGD1309	L 440 x H 1100 MM	7 KG

ROBINET À COUDE «CLINIQUE»

ELLEBOOG KRAAN «KLINISCH»

ELBOW FAUCET «CLINICAL»



REFERENCE	DIMENSIONS	WEIGHT
HGD1400	L 275 x H 305 MM	3 KG
HGD1409	L 440 x H 1100 MM	7 KG

Made in Europe

Made in Europe



Hygiene

CENDRIER

ASBAK

ASHTRAY

HCENDRIER



HCENDRIERINOX



HCENDRIERXL



HCENDRIERTUBE



Made in Europe

REFERENCE	DIMENSIONS	VOLUME	LOCK	WEIGHT
HCENDRIER	L 160 x P 90 x H 200 MM	1 L	YES	1,1 KG
HCENDRIERINOX	L 280 x P 140 x H 373 MM	6,5 L	YES	2,75 KG
HCENDRIERXL	L 240 x P 240 x H 870 MM	5,5 L	YES	8,5 KG
HCENDRIERTUBE	L 120 x P 60 x H 1064 MM	1 L	NO	2,3 KG

POUBELLE

VUILNISBAK

GARBAGE BIN

HC50
HC100



HCP50
HCP100



HCSNACK



Made in Europe

REFERENCE	DIMENSIONS	VOLUME	PEDAL	WEIGHT
HC50	Ø 380 x H 605 MM	50 L	NO	9 KG
HC100	Ø 450 x H 685 MM	100 L	NO	12 KG
HCP50	Ø 380 x H 605 MM	50 L	YES	10 KG
HCP100	Ø 450 x H 685 MM	100 L	YES	13 KG
HCSNACK	L 500 x P 530 x H 1200 MM	100 L	NO	30 KG



Hygiene

EXTERMINATEUR D'INSECTES

INSECTENVERDELGER

INSECTS EXTERMINATOR



Made in
Europe

REFERENCE	DIMENSIONS	LAMP	FIELD OF ACTION	POWER	WEIGHT
HINSECT2X6	L 265 x P 75 x H 240 MM	2 x 6W	18 m²	0,012 kW	2,1 KG
HINSECT2X10	L 360 x P 75 x H 275 MM	2 x 10W	30 m²	0,02 kW	2,8 KG
HINSECT2X20	L 625 x P 75 x H 350 MM	2 x 20W	45 m²	0,04 kW	3,7 KG



230V1

STÉRILISATEUR À COUTEAUX «SYSTÈME OZONE»

MESSENSTERILISATOR «OZONE SYSTEEM»

KNIFE STERILISATOR «OZONE SYSTEM»

HSTERILOZ1



HSTERILOZ2

Made in
Europe

REFERENCE	DIMENSIONS	MAXIMUM KNIFES	POWER	WEIGHT
HSTERILOZ1	L 523 x P 120 x H 723 MM	10	0,01 kW	9 KG
HSTERILOZ2	L 996 x P 120 x H 723 MM	20	0,02 kW	17 KG



230V1





StainlessSteel

TABLE DE TRAVAIL
AVEC SOUS-TABLETTE
SERIE 600

WERKTAFEL
MET ONDERTABLET
SERIE 600

WORKTABLE
WITH UNDERSHELF
SERIE 600



unassembled

REFERENCE	DIMENSIONS	SHELF	WEIGHT
JT1KIT-10060	L 1000 x P 600 x H 850 MM	1	31 KG
JT1KIT-12060	L 1200 x P 600 x H 850 MM	1	34 KG
JT1KIT-14060	L 1400 x P 600 x H 850 MM	1	37 KG
JT1KIT-16060	L 1600 x P 600 x H 850 MM	1	40 KG
JT1KIT-18060	L 1800 x P 600 x H 850 MM	1	43 KG
JT1KIT-20060	L 2000 x P 600 x H 850 MM	1	46 KG

Made in
Europe

PLONGE
SERIE 600

SPOELBAK
SERIE 600

SINK
SERIE 600

JPGO



JPGO-LV



Made in
Europe

REFERENCE	DIMENSIONS	BAC (DIMENSIONS)	DRAINING	DISHWASHER SPACE	WEIGHT
JPGO-120601G	L 1200 x P 600 x H 850 MM	1 x 500*400*250	LEFT	NO	35 KG
JPGO-120601D	L 1200 x P 600 x H 850 MM	1 x 500*400*250	RIGHT	NO	35 KG
JPGO-120601LVG	L 1200 x P 600 x H 850 MM	1 x 500*400*250	LEFT	YES	35 KG
JPGO-120601LVD	L 1200 x P 600 x H 850 MM	1 x 500*400*250	RIGHT	YES	35 KG
JPGO-140601G	L 1400 x P 600 x H 850 MM	1 x 500*400*250	LEFT	NO	41 KG
JPGO-140601D	L 1400 x P 600 x H 850 MM	1 x 500*400*250	RIGHT	NO	41 KG
JPGO-140601LVG	L 1400 x P 600 x H 850 MM	1 x 500*400*250	LEFT	YES	41 KG
JPGO-140601LVD	L 1400 x P 600 x H 850 MM	1 x 500*400*250	RIGHT	YES	41 KG
JPGO-140602G	L 1400 x P 600 x H 850 MM	2 x 400*400*250	LEFT	NO	41 KG
JPGO-140602D	L 1400 x P 600 x H 850 MM	2 x 400*400*250	RIGHT	NO	41 KG
JPGO-160602G	L 1600 x P 600 x H 850 MM	2 x 400*400*250	LEFT	NO	47 KG
JPGO-160602D	L 1600 x P 600 x H 850 MM	2 x 400*400*250	RIGHT	NO	47 KG
JPGO-160602LVG	L 1600 x P 600 x H 850 MM	2 x 400*400*250	LEFT	YES	47 KG
JPGO-160602LVD	L 1600 x P 600 x H 850 MM	2 x 400*400*250	RIGHT	YES	47 KG

StainlessSteel



TABLE DE TRAVAIL
AVEC SOUS-TABLETTE
SERIE 700

WERKTAFEL
MET ONDERTABLET
SERIE 700

WORKTABLE
WITH UNDERSHELF
SERIE 700



unassembled

REFERENCE	DIMENSIONS	SHELF	WEIGHT
JT1KIT-10070	L 1000 x P 700 x H 850 MM	1	33 KG
JT1KIT-12070	L 1200 x P 700 x H 850 MM	1	36 KG
JT1KIT-14070	L 1400 x P 700 x H 850 MM	1	39 KG
JT1KIT-16070	L 1600 x P 700 x H 850 MM	1	42 KG
JT1KIT-18070	L 1800 x P 700 x H 850 MM	1	45 KG
JT1KIT-20070	L 2000 x P 700 x H 850 MM	1	48 KG

PLONGE
SERIE 700

SPOELBAK
SERIE 700

SINK
SERIE 700



JPG0



JPG0-LV

REFERENCE	DIMENSIONS	BAC (DIMENSIONS)	DRAINING	DISHWASHER SPACE	WEIGHT
JPG0-120701G	L 1200 x P 700 x H 850 MM	1 x 500*500*300	LEFT	NO	39 KG
JPG0-120701D	L 1200 x P 700 x H 850 MM	1 x 500*500*300	RIGHT	NO	39 KG
JPG0-120701LVG	L 1200 x P 700 x H 850 MM	1 x 500*500*300	LEFT	YES	39 KG
JPG0-120701LVD	L 1200 x P 700 x H 850 MM	1 x 500*500*300	RIGHT	YES	39 KG
JPG0-140701G	L 1400 x P 700 x H 850 MM	1 x 600*500*320	LEFT	NO	45 KG
JPG0-140701D	L 1400 x P 700 x H 850 MM	1 x 600*500*320	RIGHT	NO	45 KG
JPG0-140701LVG	L 1400 x P 700 x H 850 MM	1 x 600*500*320	LEFT	YES	45 KG
JPG0-140701LVD	L 1400 x P 700 x H 850 MM	1 x 600*500*320	RIGHT	YES	45 KG
JPG0-140702G	L 1400 x P 700 x H 850 MM	2 x 400*500*250	LEFT	NO	45 KG
JPG0-140702D	L 1400 x P 700 x H 850 MM	2 x 400*500*250	RIGHT	NO	45 KG
JPG0-160702G	L 1600 x P 700 x H 850 MM	2 x 400*500*250	LEFT	NO	51 KG
JPG0-160702D	L 1600 x P 700 x H 850 MM	2 x 400*500*250	RIGHT	NO	51 KG
JPG0-160702LVG	L 1600 x P 700 x H 850 MM	2 x 400*500*250	LEFT	YES	51 KG
JPG0-160702LVD	L 1600 x P 700 x H 850 MM	2 x 400*500*250	RIGHT	YES	51 KG

Made in
Europe

Made in
Europe





StainlessSteel

ETAGÈRE PLEINE
AVEC CONSOLES FIXES

VOLLE WANDREK
MET VASTE CONSOLES

FULL WALL SHELF
WITH FIXED CONSOLES



Made in
Europe

REFERENCE	DIMENSIONS	CONSOLES	WEIGHT
JEMP1-10030	L 1000 x P 300 x H 250 MM	2	4 KG
JEMP1-12030	L 1200 x P 300 x H 250 MM	2	5 KG
JEMP1-14030	L 1400 x P 300 x H 250 MM	2	6 KG
JEMP1-16030	L 1600 x P 300 x H 250 MM	2	7 KG
JEMP1-18030	L 1800 x P 300 x H 250 MM	3	8 KG
JEMP1-20030	L 2000 x P 300 x H 250 MM	3	9 KG

ETAGÈRE PLEINE
AVEC CONSOLES
RÉGLABLES

VOLLE WANDREK
MET REGELBARE
CONSOLES

FULL WALL SHELF
WITH ADJUSTABLE
CONSOLES



Made in
Europe

REFERENCE	DIMENSIONS	CONSOLES	WEIGHT
JERP1-10030	L 1000 x P 300 x H 250 MM	2	4 KG
JERP1-12030	L 1200 x P 300 x H 250 MM	2	5 KG
JERP1-14030	L 1400 x P 300 x H 250 MM	2	6 KG
JERP1-16030	L 1600 x P 300 x H 250 MM	2	7 KG
JERP1-18030	L 1800 x P 300 x H 250 MM	3	8 KG
JERP1-20030	L 2000 x P 300 x H 250 MM	3	9 KG

StainlessSteel



ARMOIRE MURALE

AVEC PORTES COULISSANTES

WANDKAST

MET SCHUIFDEUREN

WALL CABINET

WITH SLIDING DOORS



Made in
Europe

REFERENCE	DIMENSIONS	WEIGHT
JAMPC-10040	L 1000 x P 400 x H 600 MM	26 KG
JAMPC-12040	L 1200 x P 400 x H 600 MM	30 KG
JAMPC-14040	L 1400 x P 400 x H 600 MM	34 KG
JAMPC-16040	L 1600 x P 400 x H 600 MM	38 KG
JAMPC-18040	L 1800 x P 400 x H 600 MM	42 KG
JAMPC-20040	L 2000 x P 400 x H 600 MM	46 KG

HOTTE MURALE COMPLÈTE TYPE «SNACK»

UITGERUSTE WANDDAMPKAP «SNACK» TYPE

COMPLETE WALL HOOD «SNACK» TYPE



Made in
Europe

REFERENCE	DIMENSIONS	FILTRES	MOTOR / EXTRACTION	POWER	WEIGHT
JHESS910	L 1000 x P 900 x H 450 MM	1	7/7 - 1300 M³ A 200 PA	0,15 kW	33 KG
JHESS915	L 1500 x P 900 x H 450 MM	2	7/7 - 1300 M³ A 200 PA	0,15 kW	39 KG
JHESS920	L 2000 x P 900 x H 450 MM	3	9/9 - 2500 M³ A 350 PA	0,55 kW	45 KG
JHESS925	L 2500 x P 900 x H 450 MM	3	9/9 - 2500 M³ A 350 PA	0,55 kW	51 KG
JHESS930	L 3000 x P 900 x H 450 MM	4	9/9 - 2500 M³ A 350 PA	0,55 kW	57 KG



230V1



BAC GASTRONORME COUVERCLE ET BARETTE DE SÉPARATION

GASTRONORM BAK DEKSEL EN SCHEIDINGSBALK

GASTRONORM BAC LID AND SEPARATING BAR

REFERENCE	DIMENSIONS	TYPE
EGN1102	L 530 x P 325 x H 20 MM	GN 1 / 1
EGN1104	L 530 x P 325 x H 40 MM	GN 1 / 1
EGN1106	L 530 x P 325 x H 65 MM	GN 1 / 1
EGN1110	L 530 x P 325 x H 100 MM	GN 1 / 1
EGN1115	L 530 x P 325 x H 150 MM	GN 1 / 1
EGN1120	L 530 x P 325 x H 200 MM	GN 1 / 1
EGN1202	L 325 x P 265 x H 20 MM	GN 1 / 2
EGN1204	L 325 x P 265 x H 40 MM	GN 1 / 2
EGN1206	L 325 x P 265 x H 65 MM	GN 1 / 2
EGN1210	L 325 x P 265 x H 100 MM	GN 1 / 2
EGN1215	L 325 x P 265 x H 150 MM	GN 1 / 2
EGN1220	L 325 x P 265 x H 200 MM	GN 1 / 2
EGN1302	L 325 x P 176 x H 20 MM	GN 1 / 3
EGN1304	L 325 x P 176 x H 40 MM	GN 1 / 3
EGN1306	L 325 x P 176 x H 65 MM	GN 1 / 3
EGN1310	L 325 x P 176 x H 100 MM	GN 1 / 3
EGN1315	L 325 x P 176 x H 150 MM	GN 1 / 3
EGN1320	L 325 x P 176 x H 200 MM	GN 1 / 3
EGN1406	L 265 x P 162 x H 65 MM	GN 1 / 4
EGN1410	L 265 x P 162 x H 100 MM	GN 1 / 4
EGN1415	L 265 x P 162 x H 150 MM	GN 1 / 4
EGN1420	L 265 x P 162 x H 200 MM	GN 1 / 4
EGN1606	L 176 x P 162 x H 65 MM	GN 1 / 6
EGN1610	L 176 x P 162 x H 100 MM	GN 1 / 6
EGN1615	L 176 x P 162 x H 150 MM	GN 1 / 6
EGN1906	L 176 x P 108 x H 65 MM	GN 1 / 9
EGN1910	L 176 x P 108 x H 100 MM	GN 1 / 9

REFERENCE	TYPE
EGNC11	LID GN 1 / 1
EGNC12	LID GN 1 / 2
EGNC13	LID GN 1 / 3
EGNC14	LID GN 1 / 4
EGNC16	LID GN 1 / 6
EGNC19	LID GN 1 / 9

REFERENCE	DIMENSIONS	TYPE
EGNSP260	L 265 MM	GN 1 / 4
EGNSP325	L 325 MM	GN 1 / 3
EGNSP530	L 530 MM	GN 1 / 1



Made in
Europe

Made in
Europe

Made in
Europe

Neutral

CHAUFFE-TERRASSE

TERRASVERWARMER

TERRACE HEATER



REFERENCE	DIMENSIONS	RESISTANCE TYPE	POWER	WEIGHT
ICHAUFFEMUR	L 500 x P 150 x H 350 MM	QUARTZ	2 kW	1,8 KG
ICHAUFFETERRASSE	L 550 x P 500 x H 2100 MM	QUARTZ	2 kW	8,75 KG
IRADIANMUR	L 1200 x P 700 x H 850 MM	INFRARED	1,5 kW	39 KG
ISUSPENDU360	Ø 400 x H 400 MM	QUARTZ	2 kW	5,4 KG
IPIED360	Ø 400 x H 1800 MM	QUARTZ	2 kW	14,5 KG
ICHAUFFELUX	Ø 780 x H 2220 MM	-	13,5 kW/h	18 KG



REFERENCE	DIMENSIONS	MAX DISH DIMENSIONS	DISH QUANTITY	POWER	WEIGHT
ISP20	L 450 x P 405 x H 545 MM	Ø 320 MM	30	0,4 kW	24 KG
ISP40	L 450 x P 510 x H 855 MM	Ø 320 MM	60	0,75 kW	33 KG
ISP80	L 750 x P 510 x H 855 MM	Ø 320 MM	120	1,2 kW	49 KG



230V1



+0°/+85°

Made in Europe

Made in Europe



Neutral

CHARIOT DE SERVICES

AFRUIMTROLLEY

SERVICE TROLLEY



Made in Europe

REFERENCE	DIMENSIONS	LEVELS	SPACE BETWEEN SHELVES	WEIGHT
ICS482	L 920 x P 600 x H 945 MM	2	570 MM	10 KG
ICS483	L 920 x P 600 x H 945 MM	3	275 MM	13 KG
ICS485	L 920 x P 600 x H 1540 MM	5	265 MM	18 KG

CHARIOT DE SERVICES GASTRONORME / EURONORME

GASTRO- / EURONORM AFRUIMTROLLEY

GASTRONORM / EURONORM SERVICE TROLLEY



Made in Europe

REFERENCE	DIMENSIONS	LEVELS	WEIGHT
ICSGN11	L 400 x P 620 x H 1800 MM	20 x GN 1/1	30 KG
ICSGN21	L 400 x P 690 x H 1800 MM	20 x GN 2/1	32 KG
ICSEN64	L 400 x P 620 x H 1800 MM	20 x EN 600 x 400	35 KG

Oven

FOUR À CONVECTION

CONVECTIE OVEN

CONVECTION OVEN

WENIX75R



WENIX75RH

1 ventilator



WENIX75RGH

Made in Europe

REFERENCE	DIMENSIONS	GRID	GRILL / HUMIDIFICATOR	POWER	WEIGHT
WENIX75R	L 560 x P 595 x 580 MM	4 x 450 x 340 MM	-	2,6 kW	28 KG
WENIX75RH	L 560 x P 595 x 580 MM	4 x 450 x 340 MM	HUMIDIFICATOR	2,85 kW	28 KG
WENIX75RGH	L 560 x P 595 x 580 MM	4 x 450 x 340 MM	GRILL + HUMIDIFICATOR	2,85 kW	28 KG



230V1



+0°/+285°

FOUR À CONVECTION GN 1/1 - EN 600 X 400

CONVECTIE OVEN GN 1/1 - EN 600 X 400

CONVECTION OVEN GN 1/1 - EN 600 X 400

WP96RG



WENIX96RH



WENIX96DRH

Made in Europe

WENIX96RH / WP96RG - 2 ventilators

WENIX96DRH - 2 ventilators - digital control with 99 programs - auto-reverse fans - digital water injection - automatic pre-heating - 3 baking cycles

REFERENCE	DIMENSIONS	GRID	GRILL / HUMIDIFICATOR	POWER	WEIGHT
WP96RG	L 815 x P 690 x H 570 MM	4 x GN 1/1 - EN 600 x 400	GRILL	3,4 + 2,5 kW	64 KG
WENIX96RH	L 750 x P 695 x H 560 MM	4 x GN 1/1 - EN 600 x 400	HUMIDIFICATOR	6,2 kW	48 KG
WENIX96DRH	L 750 x P 695 x H 560 MM	4 x GN 1/1 - EN 600 x 400	HUMIDIFICATOR	6,3 kW	52 KG



WP96RG

230V1



+0°/+285°



230V1/
230V3/
400V3N

WENIX96RH
WENIX96DRH





Oven

**FOUR COMBISTEAMER
MÉCANIQUE**
GN 1/1 - EN 600 X 400

**MECHANISCHE
COMBISTEAMER OVEN**
GN 1/1 - EN 600 X 400


**MECHANIC
COMBISTEAMER OVEN**
GN 1/1 - EN 600 X 400



Made in
Europe

Bi-directionnal fans - Mechanical timer 0-120' - Electronic water injection - 2 speed regulation

REFERENCE	DIMENSIONS	GRID	SPACE BETWEEN GRIDS	POWER	WEIGHT
WENIX05M	L 920 x P 840 x H 705 MM	5 x GN 1/1	67 MM	10,8 kW	90 KG
WENIX07M	L 920 x P 840 x H 865 MM	7 x GN 1/1	67 MM	10,8 kW	115 KG
WENIX12M	L 920 x P 840 x H 1200 MM	12 x GN 1/1	67 MM	16,1 kW	149 KG
WENIXG05M	L 870 x P 770 x H 700 MM	5 x GN 1/1 - EN 600 x 400	74 MM	9,8 kW	120 KG
WENIXG07M	L 870 x P 770 x H 880 MM	7 x GN 1/1 - EN 600 x 400	74 MM	16,6 kW	160 KG
WENIXG10M	L 870 x P 770 x H 1080 MM	10 x GN 1/1 - EN 600 x 400	74 MM	19,6 kW	161 KG



**FOUR COMBISTEAMER
DIGITAL GN 1/1 -
EN 600 X 400**

**DIGITALE COMBISTEAMER
OVEN GN 1/1 - EN 600 X 400**


**DIGITAL COMBISTEAMER
OVEN GN 1/1 - EN 600 X 400**



Made in
Europe

Digital control 99 programs - Bi-directionnal fans - Mechanical timer 0-120' - Digital water injection - Automatic pre-heating - Speed regulation
4 cooking cycles each program - Core probe (only electric model)

REFERENCE	DIMENSIONS	GRID	SPACE BETWEEN GRIDS	POWER	WEIGHT
WENIX05D	L 920 x P 840 x H 705 MM	5 x GN 1/1	67 MM	10,8 kW	103 KG
WENIX07D	L 920 x P 840 x H 865 MM	7 x GN 1/1	67 MM	10,8 kW	117 KG
WENIX12D	L 920 x P 840 x H 1200 MM	12 x GN 1/1	67 MM	16,1 kW	151 KG
WENIXG05D	L 870 x P 770 x H 700 MM	5 x GN 1/1 - EN 600 x 400	74 MM	9,8 kW	120 KG
WENIXG07D	L 870 x P 770 x H 880 MM	7 x GN 1/1 - EN 600 x 400	74 MM	16,6 kW	160 KG
WENIXG10D	L 870 x P 770 x H 1080 MM	10 x GN 1/1 - EN 600 x 400	74 MM	19,6 kW	161 KG



Oven

FOUR À RÉGÉNÉRATION

GN 1/1 - EN 600 X 400

REGENERATIE OVEN

GN 1/1 - EN 600 X 400

REGENERATING OVEN

GN 1/1 - EN 600 X 400

WRG511P



WRG1011P



10 programs with regeneration and maintenance - Programmable - With probe - Humidity control

REFERENCE	DIMENSIONS	GRID	SPACE BETWEEN GRIDS	POWER	WEIGHT
WRG511P	L 820 x P 750 x 730 MM	5 x GN 1/1 - EN 600 x 400	74 MM	6,3 kW	70 KG
WRG711P	L 820 x P 750 x 910 MM	7 x GN 1/1 - EN 600 x 400	74 MM	9,6 kW	80 KG
WRG1011P	L 820 x P 750 x 1110 MM	10 GN 1/1 - EN 600 x 400	74 MM	12,6 kW	90 KG
WRG2011P	L 820 x P 750 x 2040 MM	20 x GN 1/1 - EN 600 x 400	74 MM	16,2 kW	130 KG



230V1



+0°/+285°

MICRO-ONDES

MICROGOLFOVEN

MICROWAVE OVEN

WMOECO



WMO1100



WMO1500



WMO1850



2 levels (WMO1850)

REFERENCE	OUTSIDE DIMENSIONS	INSIDE DIMENSIONS	VOLUME	POWER	WEIGHT
WMOECO	L 483 x P 425 x H 281 MM	L 315 x P 290 x H 200 MM	23 L	900 W	12,6 KG
WMO1100	L 517 x P 412 x H 297 MM	L 336 x P 349 x H 255 MM	30 L	1100 W	17,5 KG
WMO1500	L 464 x P 600 x H 368 MM	L 370 x P 370 x H 190 MM	26 L	1500 W	32 KG
WMO1850	L 464 x P 600 x H 368 MM	L 370 x P 370 x H 190 MM	26 L	1800 W	32 KG



230V1

Made in
Europe

Made in
Europe






Bakery, Pastry & Chocolate

COMPTOIR RÉFRIGÉRÉ
SEMI-VENTILÉ ÉTROIT

ONDIEPE
SEMI-GEVENTILEERDE
GEKOELDE TOONBANK

NARROW SEMI-VENTILATED
REFRIGERATED SHOWCASE



Made in
Europe

With refrigerated storage

REFERENCE	DIMENSIONS	EXPOSITION SURFACE	POWER	WEIGHT
KIBUK100	L 1040 x P 900 x H 1262 MM	L 960 x P 560 MM (0,54 M²)	0,39 kW	125 KG
KIBUK150	L 1500 x P 900 x H 1262 MM	L 1420 x P 560 MM (0,80 M²)	0,39 kW	150 KG
KIBUK200	L 2000 x P 900 x H 1262 MM	L 1920 x P 560 MM (1,08 M²)	0,54 kW	180 KG
KIBUK250	L 2480 x P 900 x H 1262 MM	L 2400 x P 560 MM (1,34 M²)	0,73 kW	220 KG
KIBUK300	L 2960 x P 900 x H 1262 MM	L 2880 x P 560 MM (1,61 M²)	0,85 kW	260 KG



R 404A



230V1



+3°/+5°

**ARMOIRE DE
FERMENTATION**

GISTINGSKAST

FERMENTATION CABINET



Made in
Europe

7 automatic programs (Freezing - cooling - activation - fermentation - maintenance)
1 manual and pre-cooling cycle - Evaporator coil coated with anti-corrosion material 100% polyester

REFERENCE	DIMENSIONS	GRID	VOLUME	POWER	WEIGHT
KFC900BT	L 756 x P 960 x H 2130 MM	20 x EN 800 x 600 MM	848 L	0,75 kW	198 KG



R 404A



230V1



-18°/+35°

Bakery, Pastry & Chocolate



TABLE RÉFRIGÉRÉE SERIE 800

GEKOELDE WERKTAFEL SERIE 800

REFRIGERATED COUNTER SERIE 800



Tropicalised +43°

REFERENCE	DIMENSIONS	VOLUME	DOORS	POWER	WEIGHT
KTAB8002	L 1600 x P 800 x H 850 MM	440 L	2	0,50 kW	88 KG
KTAB8003	L 2150 x P 800 x H 850 MM	680 L	3	0,50 kW	116 KG
KTAB8004	L 2700 x P 800 x H 850 MM	890 L	4	0,50 kW	144 KG



R 404A



230V1



+0°/+10°

BATTEUR-MÉLANGEUR

KLOPPER-MENGER

MIXER-BLENDER



KBM-5



KBM-20

With 3 accessories

REFERENCE	DIMENSIONS	VOLUME	SPEED	POWER	WEIGHT
KBM-5	L 370 x P 230 x H 350 MM	5 L	75 - 160 rpm	0,8 kW	6,5 KG
KBM-10	L 452 x P 432 x H 606 MM	10 L	110 - 178 - 355 rpm	0,45 kW	56 KG
KBM-20	L 530 x P 496 x H 780 MM	20 L	104 - 187 - 365 rpm	1,1 kW	87 KG
KBM-30	L 546 x P 512 x H 852 MM	30 L	104 - 187 - 365 rpm	1,1 kW	94 KG



230V1

Made in
Europe

Made in
Europe





Bakery, Pastry & Chocolate

ARMOIRE RÉFRIGÉRÉE
EN 600 X 400

GEKOELDE KAST
EN 600 X 400

COOLING CABINET
EN 600 X 400

KG641TN



KG642TN



Tropicalised +43° - Insulation 60 mm

REFERENCE	DIMENSIONS	VOLUME	DOORS	POWER	WEIGHT
KG641TN	L 710 x P 800 x H 2030 MM	700 L	1	0,39 kW	120 KG
KG642TN	L 1420 x P 800 x H 2030 MM	1400 L	2	0,57 kW	160 KG



R 404A



230V1



+0°/+10°

Made in
Europe

ARMOIRE DE CONGÉLATION
EN 600 X 400

VRIES KAST
EN 600 X 400

FREEZING CABINET
EN 600 X 400

KG641BTN



KG642BTN



Tropicalised +43° - Insulation 60 mm

REFERENCE	DIMENSIONS	VOLUME	DOORS	POWER	WEIGHT
KG641BTN	L 710 x P 800 x H 2030 MM	700 L	1	0,65 kW	132 KG
KG642BTN	L 1420 x P 800 x H 2030 MM	1400 L	2	0,70 kW	169 KG



R 404A



230V1



-22°/-18°

Made in
Europe



Bakery, Pastry & Chocolate

ARMOIRE DE LEVAGE

RIJSKAST

PROOFERS

KP8



KP12



With water container

REFERENCE	DIMENSIONS	GRID	SPACE BETWEEN GRIDS	POWER	WEIGHT
KP8	L 800 x P 690 x H 860 MM	8 x GN 1/1 - EN 600 x 400	75 MM	2 kW	63 KG
KP12	L 920 x P 900 x H 700 MM	12 x GN 1/1 - EN 600 x 400	75 MM	2 kW	62 KG



230V1



+0°/+60°

COUPEUSE À PAIN

BROOD SNIJDER

BREAD SLICER

KCAPT



KCAPM



KCAPA



REFERENCE	DIMENSIONS	MAX BREAD	SLICE THICKNESS	POWER	WEIGHT
KCAPT	L 680 x P 645 x H 850 MM	Ø 300 x H 180 MM	11 MM	0,49 kW	105 KG
KCAPM	L 705 x P 716 x H 1205 MM	Ø 330 x H 160 MM	11 MM	0,55 kW	130 KG
KCAPA	L 615 x P 716 x H 1205 MM	Ø 330 x H 160 MM	11 MM	0,55 kW	130 KG



400V3N

Made in
Europe

Made in
Europe





Bakery, Pastry & Chocolate

FOUR COMBISTEAMER MÉCANIQUE EN 600 X 400

MECHANISCHE COMBISTEAMER OVEN EN 600 X 400

MECHANIC COMBISTEAMER OVEN EN 600 X 400

KENIX06M



KENIX10M

Made in
Europe

Bi-directionnal fans - Mechanical timer 0-120' - Electronic water injection

REFERENCE	DIMENSIONS	GRID	SPACE BETWEEN GRIDS	POWER	WEIGHT
KENIX04M	L 920 x P 840 x H 705 MM	4 x EN 600 x 400	80 MM	10,8 kW	102 KG
KENIX06M	L 920 x P 840 x H 865 MM	6 x EN 600 x 400	80 MM	10,8 kW	114 KG
KENIX10M	L 920 x P 840 x H 1200 MM	10 x EN 600 x 400	80 MM	16,1 kW	149 KG



230V3
400V3N



+0°/+285°

FOUR COMBISTEAMER DIGITAL EN 600 X 400

DIGITALE COMBISTEAMER OVEN EN 600 X 400

DIGITAL COMBISTEAMER OVEN EN 600 X 400

KENIX04D



KENIX06D



KENIX10D



Made in
Europe

Digital control 99 programs - Bi-directionnal fans - Digital water injection - Automatic pre-heating - 2 speed regulation
- 3 baking cycles each program - Steam exhaust regulation

REFERENCE	DIMENSIONS	GRID	SPACE BETWEEN GRIDS	POWER	WEIGHT
KENIX04D	L 920 x P 840 x H 705 MM	4 x EN 600 x 400	80 MM	10,8 kW	103 KG
KENIX06D	L 920 x P 840 x H 865 MM	6 x EN 600 x 400	80 MM	10,8 kW	116 KG
KENIX10D	L 920 x P 840 x H 1200 MM	10 x EN 600 x 400	80 MM	16,1 kW	151 KG



230V3
400V3N



+0°/+260°

Cooking



SERIE 650





Cooking

TOP GAZ SERIE 650

GAS TOP SERIE 650

GAS TOP SERIE 650

EG2S65



EG4S65



EG6S65



EG4T65



Made in
Europe

REFERENCE	DIMENSIONS	BURNERS	POWER	WEIGHT
EG2S65	L 350 x P 650 x H 280 MM	1 x 3 kW + 1 x 3,6 kW	6,6 kW	13 KG
EG4S65	L 700 x P 650 x H 280 MM	2 x 3 kW + 2 x 3,6 kW	13,2 kW	24 KG
EG6S65	L 1050 x P 650 x H 280 MM	3 x 3 kW + 3 x 3,6 kW	19,8 kW	34 KG
EG4T65	L 1050 x P 650 x H 280 MM	2 x 3 kW + 2 x 3,6 kW + 5 kW	18,2 kW	59,5 KG



Gas

TOP ÉLECTRIQUE SERIE 650

ELECTRISCHE TOP SERIE 650

ELECTRIC TOP SERIE 650

EE2S65



EE4S65



EE6S65



Made in
Europe

REFERENCE	DIMENSIONS	PLATES	POWER	WEIGHT
EE2S65	L 350 x P 650 x H 280 MM	2 x 2 kW	4 kW	11,5 KG
EE4S65	L 700 x P 650 x H 280 MM	4 x 2 kW	8 kW	21 KG
EE6S65	L 1050 x P 650 x H 280 MM	6 x 2 kW	12 kW	29 KG



400V3N

Cooking



FOURNEAU GAZ SERIE 650

GAS FORNUIS SERIE 650

GAS FURNACE SERIE 650

EG4SF65



EG6SF65



EG4TF65

Made in Europe

REFERENCE	DIMENSIONS	BURNERS	OVEN	POWER	WEIGHT
EG4SFE65	L 700 x P 650 x H 850 MM	2 x 3 kW + 2 x 3,6 kW	ELECTRIC VENTILATED GN 2/3 (2,5 kW)	13,2 kW	60 KG
EG4SF65	L 700 x P 650 x H 850 MM	2 x 3 kW + 2 x 3,6 kW	GAS GN 2/3 (2,2 kW)	13,2 kW	61 KG
EG6SFE65	L 1050 x P 650 x H 850 MM	3 x 3 kW + 3 x 3,6 kW	ELECTRIC VENTILATED GN 1/1 (2,5 kW)	19,8 kW	86,5 KG
EG6SF65	L 1050 x P 650 x H 850 MM	3 x 3 kW + 3 x 3,6 kW	GAS GN 1/1 (3,3 kW)	19,8 kW	94 KG
EG4TFE65	L 1050 x P 650 x H 850 MM	2 x 3 kW + 2 x 3,6 kW + 5 kW	ELECTRIC VENTILATED GN 1/1 (2,5 kW)	18,2 kW	106 KG
EG4TF65	L 1050 x P 650 x H 850 MM	2 x 3 kW + 2 x 3,6 kW + 5 kW	GAS GN 1/1 (3,3 kW)	18,2 kW	105 KG



Gas

FOURNEAU ÉLECTRIQUE SERIE 650

ELECTRISCH FORNUIS SERIE 650

ELECTRIC FURNACE SERIE 650

EE4SFE65



EE6SFE65



Made in Europe

REFERENCE	DIMENSIONS	PLATES	OVEN	POWER	WEIGHT
EE4SFE65	L 700 x P 650 x H 850 MM	4 x 2 kW	ELECTRIC VENTILATED GN 2/3 (2,5 kW)	8 kW	56,5 KG
EE6SFE65	L 1050 x P 650 x H 850 MM	6 x 2 kW	ELECTRIC VENTILATED GN 1/1 (2,5 kW)	12 kW	78 KG



400V3N





Cooking

TOP FRY-TOP GAZ SERIE 650

GAS FRY-TOP TOP SERIE 650

GAS FRY-TOP TOP SERIE 650



EGFT465L



EGFT465R



EGFT865L



EGFT865R



EGFT865LR

Made in
Europe

REFERENCE	DIMENSIONS	PLATE TYPE	POWER	WEIGHT
EGFT465L	L 350 x P 650 x H 280 MM	SMOOTH	4 kW	26,5 KG
EGFT465R	L 350 x P 650 x H 280 MM	GROOVED	4 kW	26,5 KG
EGFT865L	L 700 x P 650 x H 280 MM	SMOOTH	8 kW	54 KG
EGFT865R	L 700 x P 650 x H 280 MM	GROOVED	8 kW	54 KG
EGFT865LR	L 700 x P 650 x H 280 MM	2/3 SMOOTH - 1/3 GROOVED	8 kW	54 KG



Gas

TOP FRY-TOP ÉLECTRIQUE SERIE 650

ELECTRISCHE FRY-TOP TOP SERIE 650

ELECTRIC FRY-TOP TOP SERIE 650



EEFT465L



EEFT465R



EEFT865L



EEFT865R



EEFT865LR

Made in
Europe

REFERENCE	DIMENSIONS	PLATE TYPE	POWER	WEIGHT
EEFT465L	L 350 x P 650 x H 280 MM	SMOOTH	3,9 kW	28,5 KG
EEFT465R	L 350 x P 650 x H 280 MM	GROOVED	3,9 kW	28,5 KG
EEFT865L	L 700 x P 650 x H 280 MM	SMOOTH	7,8 kW	52 KG
EEFT865R	L 700 x P 650 x H 280 MM	GROOVED	7,8 kW	52 KG
EEFT865LR	L 700 x P 650 x H 280 MM	2/3 SMOOTH - 1/3 GROOVED	7,8 kW	52 KG



400V3N

Cooking



TOP GRILLADE PIERRE DE LAVE GAZ SERIE 650

GAS TOP LAVASTEENGRILL SERIE 650

GAS TOP LAVASTONE GRILL SERIE 650

EGPL465



EGPL865



REFERENCE	DIMENSIONS	POWER	WEIGHT
EGPL465	L 350 x P 650 x H 280 MM	13,2 kW	27,5 KG
EGPL865	L 700 x P 650 x H 280 MM	19,8 kW	50,5 KG



Gas

TOP GRILLADE ÉLECTRIQUE SERIE 650

ELECTRISCHE TOP GRILL SERIE 650

ELECTRIC TOP GRILL SERIE 650

EGE465



EGE865



REFERENCE	DIMENSIONS	POWER	WEIGHT
EGE465	L 350 x P 650 x H 280 MM	3 kW	18,5 KG
EGE865	L 700 x P 650 x H 280 MM	6 kW	37 KG



400V3N

Made in
Europe

Made in
Europe





Cooking

CUISEUR À PÂTES SERIE 650

PASTA KOKER SERIE 650

PASTA COOKER SERIE 650



Made in
Europe

REFERENCE	DIMENSIONS	VOLUME	POWER	WEIGHT
EGC465	L 350 x P 650 x H 850 MM	23 L	10 kW	34,5 KG
EEC465	L 350 x P 650 x H 850 MM	23 L	4,8 kW	36,5 KG



TOP BAIN-MARIE SERIE 650

TOP BAIN-MARIE SERIE 650

TOP BAIN-MARIE SERIE 650



EEBM465



EEBM865

Made in
Europe

REFERENCE	DIMENSIONS	GN (OPTION)	POWER	WEIGHT
EGBM465	L 350 x P 650 x H 280 MM	1/1	2 kW	15,5 KG
EGBM865	L 700 x P 650 x H 280 MM	2/1	2 kW	22 KG
EEBM465	L 350 x P 650 x H 280 MM	1/1	1,3 kW	12,5 KG
EEBM865	L 700 x P 650 x H 280 MM	2/1	2,6 kW	20 KG



Cooking



TOP FRITEUSE SERIE 650

TOP FRITEUSE SERIE 650

TOP FRYER SERIE 650

EGF465



EGF865



Made in
Europe

REFERENCE	DIMENSIONS	VOLUME	POWER	WEIGHT
EGF465	L 350 x P 650 x H 280 MM	8 L	6,25 kW	20,5 KG
EGF865	L 700 x P 650 x H 280 MM	8 + 8 L	12,5 kW	40 KG
EEF465	L 350 x P 650 x H 280 MM	8 L	7,5 kW	15,5 KG
EEF865	L 700 x P 650 x H 280 MM	8 + 8 L	15 kW	30 KG



EGF465
EGF865

Gas



400V3N

EEF465
EEF865

PIÉTEMENT

ONDERSTEL

BASE

ENSA465



ENSA865



ENSA1265



Made in
Europe

REFERENCE	DIMENSIONS	WEIGHT
ENSA465	L 350 x P 575 x H 600 MM	9,5 KG
ENSA865	L 700 x P 575 x H 600 MM	12 KG
ENSA1265	L 1050 x P 575 x H 600 MM	14,5 KG





Cooking

SERIE 700



Cooking



TOP GAZ SERIE 700

GAS TOP SERIE 700

GAS TOP SERIE 700

EG2S70A



EG4S70A



EG6S70A



EGT70A



With pilot flame

REFERENCE	DIMENSIONS	BURNERS	POWER	WEIGHT
EG2S70A	L 400 x P 700 x H 255 MM	1 x 4 kW + 1 x 6 kW	10 kW	16 KG
EG4S70A	L 800 x P 700 x H 255 MM	2 x 4 kW + 2 x 6 kW	20 kW	28 KG
EG6S70A	L 1200 x P 700 x H 255 MM	3 x 4 kW + 3 x 6 kW	30 kW	43 KG
EGT70A	L 800 x P 700 x H 255 MM	1 x 11,5 kW	11,5 kW	105 KG



Gas

TOP ÉLECTRIQUE SERIE 700

ELECTRISCHE TOP SERIE 700

ELECTRIC TOP SERIE 700

EE2S70A



EE4S70A



EE6S70A



EET70A



REFERENCE	DIMENSIONS	PLATES	POWER	WEIGHT
EE2S70A	L 400 x P 700 x H 255 MM	2 x 2,6 kW	5,2 kW	14 KG
EE4S70A	L 800 x P 700 x H 255 MM	4 x 2,6 kW	10,4 kW	38 KG
EE6S70A	L 1200 x P 700 x H 255 MM	6 x 2,6 kW	15,6 kW	62 KG
EET70A	L 800 x P 700 x H 255 MM	1 x 9 kW	9 kW	85 KG



400V3N

Made in
Europe

Made in
Europe





Cooking

FOURNEAU GAZ SERIE 700

GAS FORNUIS SERIE 700

GAS FURNACE SERIE 700



Made in Europe

With pilot flame

REFERENCE	DIMENSIONS	BURNERS	OVEN	POWER	WEIGHT
EG2SA70A	L 400 x P 700 x H 850 MM	1 x 4 kW + 1 x 6 kW	-	10 kW	23 KG
EG4SA70A	L 800 x P 700 x H 850 MM	2 x 4 kW + 2 x 6 kW	-	20 kW	47 KG
EG4SF70A	L 800 x P 700 x H 850 MM	2 x 4 kW + 2 x 6 kW	GAS GN 1/1 (4 kW)	24 kW	106 KG
EG4SFE70A	L 800 x P 700 x H 850 MM	2 x 4 kW + 2 x 6 kW	ELECTRIC GN 1/1 (3 kW)	23 kW	71 KG
EG6SA70A	L 1200 x P 700 x H 850 MM	3 x 4 kW + 3 x 6 kW	-	30 kW	65 KG
EG6SFA70A	L 1200 x P 700 x H 850 MM	3 x 4 kW + 3 x 6 kW	GAS GN 1/1 (4 kW)	34 kW	136 KG
EG6SFEA70A	L 1200 x P 700 x H 850 MM	3 x 4 kW + 3 x 6 kW	ELECTRIC GN 1/1 (3 kW)	33 kW	101 KG
EG6SFM70A	L 1200 x P 700 x H 850 MM	3 x 4 kW + 3 x 6 kW	GAS 1050 x 530 mm (13 kW)	43 kW	147 KG



Gas

FOURNEAU ÉLECTRIQUE SERIE 700

ELECTRISCH FORNUIS SERIE 700

ELECTRIC FURNACE SERIE 700



Made in Europe

REFERENCE	DIMENSIONS	PLATES	OVEN	POWER	WEIGHT
EE2SA70A	L 400 x P 700 x H 850 MM	2 x 2,6 kW	-	5,2 kW	27 KG
EE4SA70A	L 800 x P 700 x H 850 MM	4 x 2,6 kW	-	10,4 kW	48 KG
EE4SFE70A	L 800 x P 700 x H 850 MM	4 x 2,6 kW	ELECTRIC GN 1/1 (3 kW)	13,4 kW	72 KG
EE6SA70A	L 1200 x P 700 x H 850 MM	6 x 2,6 kW	-	15,6 kW	71 KG
EE6SFEA70A	L 1200 x P 700 x H 850 MM	6 x 2,6 kW	ELECTRIC GN 1/1 (3 kW)	18,6 kW	103 KG



400V3N

Cooking



TAQUE COUP-DE-FEU GAZ
SERIE 700

GAS DOORKOOKPLAAT
SERIE 700

GAS COOKER HOB
SERIE 700

EGTA70A



EGTF70A



Made in
Europe

REFERENCE	DIMENSIONS	BURNERS	OVEN	POWER	WEIGHT
EGTA70A	L 800 x P 700 x H 850 MM	1 x 11,5 kW	-	11,5 kW	118 KG
EGTF70A	L 800 x P 700 x H 850 MM	1 x 11,5 kW	GAS GN 2 / 1 (7,55 kW)	19,05 kW	158 KG



Gas

TAQUE COUP-DE-FEU
ÉLECTRIQUE SERIE 700

ELECTRISCHE
DOORKOOKPLAAT
SERIE 700

ELECTRIC COOKER HOB
SERIE 700

EETA70A



EETF70A



Made in
Europe

REFERENCE	DIMENSIONS	PLATES	OVEN	POWER	WEIGHT
EETA70A	L 800 x P 700 x H 850 MM	1 x 9 kW	-	9 kW	84 KG
EETF70A	L 800 x P 700 x H 850 MM	1 x 9 kW	ELECTRIC GN 1 / 1 (3,65 kW)	12,65 kW	143 KG



400V3N





Cooking

TOP FRY-TOP GAZ SERIE 700


GAS TOP FRY-TOP SERIE 700

GAS TOP FRY-TOP SERIE 700

EGFT470RA



EGFT870LA



EGFT870LRA

Made in
Europe

REFERENCE	DIMENSIONS	PLATE TYPE	POWER	WEIGHT
EGFT470LA	L 400 x P 700 x H 255 MM	SMOOTH	6 kW	34 KG
EGFT470RA	L 400 x P 700 x H 255 MM	GROOVED	6 kW	33,5 KG
EGFT870LA	L 800 x P 700 x H 255 MM	SMOOTH	12 kW	65 KG
EGFT870LRA	L 800 x P 700 x H 255 MM	1/2 SMOOTH - 1/2 GROOVED	12 kW	65 KG



Gas

TOP FRY-TOP ÉLECTRIQUE SERIE 700

ELECTRISCHE TOP FRY-TOP SERIE 700

ELECTRIC TOP FRY-TOP SERIE 700

EEFT870LA



EEFT870LRA

Made in
Europe

REFERENCE	DIMENSIONS	PLATE TYPE	POWER	WEIGHT
EEFT470LA	L 400 x P 700 x H 255 MM	SMOOTH	4,1 kW	33 KG
EEFT470RA	L 400 x P 700 x H 255 MM	GROOVED	4,1 kW	33 KG
EEFT870LA	L 800 x P 700 x H 255 MM	SMOOTH	8,2 kW	63 KG
EEFT870LRA	L 800 x P 700 x H 255 MM	1/2 SMOOTH - 1/2 GROOVED	8,2 kW	63 KG



400V3N

Cooking



**TOP GRILLADE PIERRE
DE LAVE GAZ SERIE 700**

**GAS LAVASTEENGRILL TOP
SERIE 700**

**GAS LAVASTONE GRILL TOP
SERIE 700**

EGPL470A



EGPL870A



REFERENCE	DIMENSIONS	GRID TYPE	POWER	WEIGHT
EGPL470A	L 400 x P 700 x H 255 MM	BAR GRID	9 kW	33 KG
EGPL870A	L 800 x P 700 x H 255 MM	BAR GRID	18 kW	43 KG



Gas

CUISEUR À PÂTES SERIE 700

PASTAKOKER SERIE 700

PASTA COOKER SERIE 700

EGC470A



REFERENCE	DIMENSIONS	VOLUME	POWER	WEIGHT
EGC470A	L 400 x P 700 x H 850 MM	24 L	8,7 kW	37 KG
EEC470A	L 400 x P 700 x H 850 MM	24 L	7 kW	32 KG



EGC470A

Gas



400V3N

EEC470A

Made in
Europe

Made in
Europe



Cooking



Cooking

TOP BAIN-MARIE
ÉLECTRIQUE SERIE 700

ELECTRISCHE TOP
BAIN-MARIE SERIE 700

ELECTRIC TOP BAIN-MARIE
SERIE 700

EEBM470A



EEBM870A

REFERENCE	DIMENSIONS	GN (OPTION)	POWER	WEIGHT
EEBM470A	L 400 x P 700 x H 255 MM	1 / 1	1 kW	20 KG
EEBM870A	L 800 x P 700 x H 255 MM	2 / 1	2 kW	30 KG



400V3N

FRITEUSE SERIE 700

FRITEUSE SERIE 700

FRYER SERIE 700

EGF470A



EGF870A



EEF470A



EEF870A



REFERENCE	DIMENSIONS	VOLUME	POWER	WEIGHT
EGF470A	L 400 x P 700 x H 850 MM	12 L	12 kW	35 KG
EGF870A	L 800 x P 700 x H 850 MM	12 + 12 L	24 kW	52 KG
EEF470A	L 400 x P 700 x H 850 MM	10 L	8 kW	30 KG
EEF870A	L 800 x P 700 x H 850 MM	10 + 10 L	16 kW	45 KG



EGF470A
EGF870A

Gas



400V3N

EEF470A
EEF870A

Grill & Rotisserie



PLANCHA GAZ

PLANCHA GAS

PLANCHA GAS

Made in
Europe

ECO-60PV



REFERENCE	DIMENSIONS	GRID DIMENSIONS	POWER	WEIGHT
ECO-45PV	L 460 x P 440 x H 210 MM	L 440 x P 390 MM	4,1 kW	16,5 KG
ECO-60PV	L 610 x P 440 x H 210 MM	L 590 x P 390 MM	8,2 kW	22 KG
ECO-75PV	L 770 x P 440 x H 210 MM	L 750 x P 390 MM	8,7 kW	27 KG
ECO-90PV	L 910 x P 440 x H 210 MM	L 890 x P 390 MM	12,7 kW	32 KG



Gas

PLANCHA ÉLECTRIQUE

ELECTRISCHE PLANCHA

ELECTRIC PLANCHA

Made in
Europe

ECOEM-60PV



REFERENCE	DIMENSIONS	GRID DIMENSIONS	POWER	WEIGHT
ECOEM-60PV	L 600 x P 440 x H 210 MM	L 590 x P 390 MM	4 kW	22 KG
ECOEM-75PV	L 770 x P 440 x H 210 MM	L 750 x P 390 MM	4 kW	27 KG



230V1





Grill & Rotisserie

GRILLADE PIERRE DE LAVE
GAZ

GAS LAVASTEEN GRILL

GAS LAVASTONE GRILL

EI80MOBV



Made in
Europe

REFERENCE	DIMENSIONS	GRID DIMENSIONS	BURNER	POWER	WEIGHT
EI47MOBV	L 470 x P 700 x H 850 MM	L 370 x P 650	1	13 kW	50 KG
EI65MOBV	L 650 x P 700 x H 850 MM	L 550 x P 650	1	13 kW	70 KG
EI80MOBV	L 800 x P 700 x H 850 MM	L 700 x P 650	2	17,5 kW	90 KG
EI120MOBV	L 1200 x P 700 x H 850 MM	L 1100 x P 650	2	26 kW	118 KG



Gas

RÉCHAUD

KAMPEER FORNUIS

CAMPING STOVE

EFPO1VECO



EFPO1VMAX



Made in
Europe

REFERENCE	DIMENSIONS	POWER	WEIGHT
EFPO1VECO	L 400 x P 400 x H 190 MM	8,5 kW	5 KG
EFPO1VMAX	L 455 x P 600 x H 430 MM	25 kW	47 KG



Gas

Grill & Rotisserie



RÔTISSOIRE À POULET GAZ

GAS KIPPENSPLIT

GAS CHICKEN ROASTER

ROTG8P



ROTG20P



ROTG36P



REFERENCE	DIMENSIONS	CHICKEN	POWER	WEIGHT
ROTG8P	L 880 x P 430 x H 530 MM	2 x 4	3,5 kW	55 KG
ROTG12P	L 900 x P 510 x H 780 MM	3 x 4	9 kW	65 KG
ROTG20P	L 900 x P 510 x H 780 MM	5 x 4	9 kW	81 KG
ROTG36P	L 1270 x P 500 x H 1950 MM	6 x 6	35 kW	190 KG
ROTG48P	L 1270 x P 500 x H 2030 MM	8 x 8	47 kW	200 KG



Gas

RÔTISSOIRE À POULET ÉLECTRIQUE

ELECTRISCH KIPPENSPLIT

ELECTRIC CHICKEN ROASTER

ROTE8P



ROTE12P



ROTE20P



ROTE36P



REFERENCE	DIMENSIONS	CHICKEN	POWER	WEIGHT
ROTE6P	L 700 x P 360 x H 450 MM	2 x 3	2,8 kW	31 KG
ROTE8P	L 880 x P 430 x H 530 MM	2 x 4	3,5 kW	41 KG
ROTE12P	L 880 x P 430 x H 710 MM	3 x 4	9 kW	48 KG
ROTE15P	L 705 x P 450 x H 1250 MM	3 x 5	10 kW	70 KG
ROTG20P	L 880 x P 430 x H 1250 MM	5 x 4	10,7 kW	88 KG
ROTG30P	L 1160 x P 450 x H 1250 MM	6 x 5	15 kW	105 KG
ROTG36P	L 1270 x P 500 x H 1650 MM	6 x 6	18,7 kW	139 KG
ROTG48P	L 1270 x P 500 x H 2030 MM	8 x 8	24 kW	170 KG



230V3/
400V3N

Made in
Europe

Made in
Europe





Asia

TEPPAN YAKI GAZ

GAS TEPPAN YAKI

GAS TEPPAN YAKI



Made in
Europe

REFERENCE	DIMENSIONS	GRID DIMENSIONS	BURNER	POWER	WEIGHT
YFL-1207	L 1205 x P 820 x H 850 MM	L 1200 x P 700	2	25 kW	205 KG
YFL-1507	L 1505 x P 820 x H 850 MM	L 1500 x P 700	3	29,4 kW	255 KG
YFL-1807	L 1805 x P 820 x H 850 MM	L 1800 x P 700	3	37,5 kW	300 KG



WOK RANGE

WOK RANGE

WOK RANGE

YW-5



Made in
Europe

REFERENCE	DIMENSIONS	BURNER	POWER	WEIGHT
YW-3	L 1500 x P 750 x H 800 MM	2 x 12 kW + 1 x 18 kW	42 kW	166 KG
YW-4	L 2000 x P 750 x H 800 MM	2 x 12 kW + 2 x 18 kW	60 kW	221 KG
YW-5	L 2500 x P 750 x H 800 MM	3 x 12 kW + 2 x 18 kW	72 kW	277 KG



Asia



CUISEUR À RIZ

RIJSTKOKER

RICE COOKER

YRIZMINI



YRIZ



Made in
Europe

REFERENCE	DIMENSIONS	VOLUME	POWER	WEIGHT
YRIZMINI	Ø 216 x H 280 MM	1,8 L (2 - 10 people)	0,7 kW	2,7 KG
YRIZ	Ø 320 x H 350 MM	8 L (25 - 40 people)	1,95 kW	11 KG



230V1

STRUCTURE RÉFRIGÉRÉE À SUSHI

GEKOELDE STRUCTUUR VOOR SUSHI

REFRIGERATED STRUCTURE FOR SUSHI

YVSU4



YVSU8



Made in
Europe

REFERENCE	DIMENSIONS	EXPOSITION SURFACE	POWER	WEIGHT
YVSU4	L 1268 x P 410 x H 230 MM	0,23 m²	0,13 kW	47 KG
YVSU6	L 1620 x P 410 x H 230 MM	0,34 m²	0,19 kW	50 KG
YVSU8	L 1972 x P 410 x H 230 MM	0,46 m²	0,20 kW	52 KG



R 134A



230V1



-1°+1°





Italia

FOUR À PIZZA MÉCANIQUE ÉLECTRIQUE

ELECTRISCH MECHANISCHE PIZZA-OVEN

ELECTRIC MECHANIC PIZZA-OVEN



Made in
Europe

REFERENCE	OUTSIDE DIMENSIONS	INSIDE DIMENSIONS	CAPACITY	POWER	WEIGHT
VE4AT	L 1100 x P 954 x H 415 MM	L 820 x P 720 x H 175 MM	4 x Ø 350 or 2 x EN 600 x 400	6,9 kW	104 KG
VE6AT	L 1100 x P 1314 x H 415 MM	L 820 x P 1080 x H 175 MM	6 x Ø 350 or 3 x EN 600 x 400	10,2 kW	135 KG
VE6ALT	L 1500 x P 924 x H 415 MM	L 1230 x P 720 x H 175 MM	6 x Ø 350 or 3 x EN 600 x 400	9 kW	127 KG
VE9AT	L 1500 x P 1314 x H 415 MM	L 1230 x P 1080 x H 175 MM	9 x Ø 350 or 5 x EN 600 x 400	15,3 kW	174 KG
VE44AT	L 1100 x P 954 x H 745 MM	2 x L 820 x P 720 x H 175 MM	8 x Ø 350 or 4 x EN 600 x 400	13,8 kW	164 KG
VE66AT	L 1100 x P 1314 x H 745 MM	2 x L 820 x P 1080 x H 175 MM	12 x Ø 350 or 6 x EN 600 x 400	20,4 kW	220 KG
VE66ALT	L 1500 x P 924 x H 745 MM	2 x L 1230 x P 720 x H 175 MM	12 x Ø 350 or 6 x EN 600 x 400	18 kW	225 KG
VE99AT	L 1500 x P 1314 x H 745 MM	2 x L 1230 x P 1080 x H 175 MM	18 x Ø 350 or 10 x EN 600 x 400	30,6 kW	324 KG



230V3 /
400V3N



+50°/+500°

PIETEMET POUR FOUR À PIZZA

ONDERSTEL VOOR PIZZA-OVEN

BASE FOR PIZZA-OVEN



Made in
Europe

REFERENCE	DIMENSIONS	FOR	WEIGHT
VSP4T	L 1100 x P 849 x H 957 MM	VE4AT	28 KG
VSP6T	L 1100 x P 1209 x H 957 MM	VE6AT	33 KG
VSP6LT	L 1500 x P 819 x H 957 MM	VE6ALT	33 KG
VSP9T	L 1500 x P 1209 x H 957 MM	VE9AT	41 KG
VSP44T	L 1100 x P 849 x H 857 MM	VE44AT	27 KG
VSP66T	L 1100 x P 1209 x H 857 MM	VE66AT	30 KG
VSP66LT	L 1500 x P 819 x H 857 MM	VE66ALT	32 KG
VSP99LT	L 1500 x P 1209 x H 857 MM	VE99AT	40 KG

Italia



FOUR À PIZZA MÉCANIQUE GAZ

GAS MECHANISCHE PIZZA-OVEN

GAS MECANIC PIZZA-OVEN



Made in
Europe

REFERENCE	OUTSIDE DIMENSIONS	INSIDE DIMENSIONS	CAPACITY	POWER	WEIGHT
VG4A	L 1005 x P 1055 x H 540 MM	L 620 x P 620 x H 150 MM	4 x Ø 300 MM	13,9 kW	112 KG
VG6A	L 1005 x P 1355 x H 540 MM	L 620 x P 920 x H 150 MM	6 x Ø 300 MM	18 kW	141 KG
VG9A	L 1305 x P 1355 x H 540 MM	L 920 x P 920 x H 150 MM	9 x Ø 300 MM	24,5 kW	179 KG



Gas



+0°/+450°

PIETEMET POUR FOUR À PIZZA

ONDERSTEL VOOR PIZZA-OVEN

BASE FOR PIZZA-OVEN



Made in
Europe

REFERENCE	DIMENSIONS	FOR	WEIGHT
VSG4	L 1005 x P 840 x H 960 MM	VG4A	18 KG
VSG6	L 1005 x P 1140 x H 960 MM	VG6A	19 KG
VSG9	L 1305 x P 1140 x H 960 MM	VG9A	20 KG





Italia

TABLE À PIZZA

PIZZATAFEL

PIZZATABLE

Made in
Europe



VMPT17



VMPT17CN



VMPT23



VMPT23CN

REFERENCE	DIMENSIONS	DOORS / NEUTRAL DRAWERS	STRUCTURE POSSIBILITY	POWER	WEIGHT
VMPT17	L 1510 x P 800 x H 860 MM	2 / 0	FV15C13 / FV15T13 / FV15C14 / FV15T14	0,21 kW	151 KG
VMPT17CN	L 1510 x P 800 x H 860 MM	1 / 6	FV15C13 / FV15T13 / FV15C14 / FV15T14	0,21 kW	151 KG
VMPT23	L 2045 x P 800 x H 860 MM	3 / 0	FV20C13 / FV20T13 / FV20C14 / FV20T14	0,40 kW	250 KG
VMPT23CN	L 2045 x P 800 x H 860 MM	2 / 6	FV20C13 / FV20T13 / FV20C14 / FV20T14	0,40 kW	250 KG



R 134A



230V1



-2°+8°

STRUCTURES SEE P. 21

FORMEUSE À PIZZA

PIZZAVORMER

PIZZA PRESS

Made in
Europe



REFERENCE	DIMENSIONS	DIAMETER	DOUGH CAPACITY	POWER	WEIGHT
VPRESSA33	L 600 x P 520 x H 900 MM	330 MM	100 - 270 GR	3,6 kW	100 KG
VPRESSA45	L 650 x P 700 x H 900 MM	450 MM	100 - 500 GR	5,6 kW	130 KG



230V1

Italia



LAMINOIR À PIZZA TOUCH AND GO

TOUCH AND GO PIZZAROLLER

TOUCH AND GO PIZZAROLLER



Automatic

REFERENCE	DIMENSIONS	DIAMETER	DOUGH CAPACITY	POWER	WEIGHT
VL30TG	L 440 x P 380 x H 615 MM	Ø 140 - Ø 300 MM	80 - 210 GR	0,33 HP / 0,25 kW	25 KG
VL40TG	L 540 x P 410 x H 720 MM	Ø 260 - Ø 400 MM	210 - 700 GR	0,5 HP / 0,37 kW	37 KG



230V1

PÉTRIN À SPIRAL AVEC TÊTE FIXE

SPIRAALDEEGTROG MET VASTE KOP

SPIRAL DOUGH MIXER WITH FIXED HEAD



REFERENCE	DIMENSIONS	VOLUME	PRODUCTION	POWER	WEIGHT
VS17*	L 385 x P 670 x H 725 MM	22 L / 17 KG	56 KG / H	1 HP / 0,75 kW	65 KG
VS25*	L 424 x P 735 x H 805 MM	32 L / 25 KG	88 KG / H	1,5 HP / 1,1 kW	87 KG
VS17	L 385 x P 670 x H 725 MM	22 L / 17 KG	56 KG / H	1 HP / 0,75 kW	65 KG
VS25	L 424 x P 735 x H 805 MM	32 L / 25 KG	88 KG / H	1,5 HP / 1,1 kW	87 KG



VS17*
VS25*

230V1



230V3 /
400V3N

VS17
VS25





Snack

TOASTER À QUARTZ

QUARTZ TOASTER

QUARTZ TOASTER



Made in
Europe

REFERENCE	DIMENSIONS	TONG	POWER	WEIGHT
RT6ECT	L 490 x P 240 x H 250 MM	3	1,2 kW	8,2 KG
RT12ECT	L 490 x P 240 x H 370 MM	6	2,4 kW	9,7 KG
RT3CC	L 440 x P 250 x H 290 MM	3	1,7 kW	8,2 KG
RT6CC	L 440 x P 250 x H 400 MM	6	3 kW	9,7 KG



230V1

GRILL PANINI

PANINI GRILL

PANINI GRILL



Made in
Europe

REFERENCE	DIMENSIONS	PLATES TYPE	PLATES DIMENSIONS	POWER	WEIGHT
REPM1015R	L 430 x P 400 x H 210 MM	GROOVED / GROOVED	340 x 220 / 340 x 220	2,2 kW	20 KG
REPD1020R	L 570 x P 395 x H 210 MM	GROOVED / GROOVED	2 x 214 x 214 / 470 x 230	3,6 kW	26 KG



230V1



Snack

Made in Europe

SALAMANDRE GAZ

GAS SALAMANDER

GAS SALAMANDER



REFERENCE	DIMENSIONS	POWER	WEIGHT
RSAG660	L 750 x P 400 x H 465 MM	7,4 kW	40 KG



Gas

SALAMANDRE TÊTE MOBILE
ÉLECTRIQUE

ELECTISCHE **SALAMANDER**
MET REGELBARE KOP

ELECTRIC **SALAMANDER**
WITH ADJUSTABLE HEAD



REFERENCE	DIMENSIONS	POWER	WEIGHT
RSET15	L 450 x P 480 x H 470 MM	2,8 kW	41 KG
RSET30	L 620 x P 480 x H 530 MM	4 kW	50 KG



RSET15 230V1 400V3N RSET30

Made in Europe





Snack

FRITEUSE DE TABLE
SANS ROBINET



TAFELFRITEUSE
ZONDER KRAAN



TABLEFRYER
WITHOUT DRAIN VALVE

REFEB16

Made in
Europe

REFERENCE	DIMENSIONS	VOLUME	POWER	WEIGHT
REFEB08	L 265 x P 425 x H 350 MM	8 L	3,25 kW	7,1 KG
REFEB16	L 540 x P 425 x H 350 MM	8 + 8 L	3,25 + 3,25 kW	12,5 KG



230V1

FRITEUSE DE TABLE
AVEC ROBINET



TAFELFRITEUSE
MET KRAAN



TABLEFRYER
WITH DRAIN VALVE

REFEB22VLUX

Made in
Europe

REFERENCE	DIMENSIONS	VOLUME	POWER	WEIGHT
REFEB11VLUX	L 280 x P 490 x H 330 MM	11 L	3 kW	12 KG
REFEB22VLUX	L 570 x P 490 x H 330 MM	11 + 11 L	3 + 3 kW	25 KG



230V1

Snack



FRITEUSE SUR MEUBLE

FRITEUSE OP MEUBEL

FRYER ON BASE

REGF15S



REGF15+15S



REEF12S



REEF12+12S



Made in Europe

REFERENCE	DIMENSIONS	VOLUME	POWER	WEIGHT
REGF15S	L 375 x P 650 x H 1100 MM	14 L	13 kW	44 KG
REGF15+15S	L 750 x P 650 x H 1100 MM	14 + 14 L	13 + 13 kW	81 KG
REEF12S	L 375 x P 655 x H 845 MM	12 L	9 kW	29 KG
REEF12+12S	L 750 x P 655 x H 845 MM	12 + 12 L	9 + 9 kW	55 KG



REGF15S
REGF15+15S

Gas



REEF12S
REEF12+12S

400V3N

FRITEUSE HAUT RENDEMENT

HOOG RENDEMENT FRITEUSE

HIGH PERFORMANCE FRYER

RPITCO35C+



RPITCOSSH55



RPITCOSSH75



Made in Europe

mecanical (RPITCO35C+) - digital (RPITCOSSH55, RPITCOSSH75)

REFERENCE	DIMENSIONS	VOLUME	PERFORMANCE	POWER	WEIGHT
RPITCO35C+	L 295 x P 769 x H 1201 MM	20 L	30 KG / HOUR	26,3 kW	73 KG
RPITCOSSH55	L 397 x P 974 x H 1197 MM	26 L	80 KG / HOUR	29,3 kW	162 KG
RPITCOSSH75	L 498 x P 974 x H 1197 MM	38 L	105 KG / HOUR	36,6 kW	193 KG



Gas



+93°/+190°





Snack

FRITEUSE CUVE RONDE
MÉCANIQUE

MECHANISCH RONDE KUIP
FRITEUSE

MECHANIC ROUND TANK
FRYER



Made in
Europe

REFERENCE	DIMENSIONS	VOLUME	PERFORMANCE	POWER	WEIGHT
REFGA1	L 580 x P 890 x H 1410 MM	18 L	50 KG / HOUR	13 kW	110 KG
REFGA2	L 1120 x P 890 x H 1410 MM	2 x 18 L	100 KG / HOUR	26 kW	170 KG
REFGA3	L 1660 x P 890 x H 1410 MM	3 x 18 L	150 KG / HOUR	39 kW	240 KG



Gas



+30°/+190°

FRITEUSE
CUVE RONDE ÉLECTRONIQUE

ELECTRONISCHE RONDE
KUIP **FRITEUSE**

ELECTRONIC ROUND TANK
FRYER



Made in
Europe

REFERENCE	DIMENSIONS	VOLUME	PERFORMANCE	POWER	WEIGHT
REFGB1	L 580 x P 890 x H 1410 MM	18 L	65 KG / HOUR	18 kW	135 KG
REFGB2	L 1120 x P 890 x H 1410 MM	2 x 18 L	130 KG / HOUR	36 kW	220 KG
REFGB3	L 1660 x P 890 x H 1410 MM	3 x 18 L	195 KG / HOUR	54 kW	280 KG
REFGB4	L 2220 x P 890 x H 1410 MM	4 x 18 L	260 KG / HOUR	72 kW	345 KG



Gas



+30°/+190°



Snack

CUISEUR À PÂTES
ÉLECTRIQUE DE TABLE

ELECTRISCHE TAFEL
PASTAKOKER

ELECTRIC TABLE
PASTA COOKER



REFERENCE	DIMENSIONS	VOLUME	POWER	WEIGHT
REBACP	L 350 x P 540 x H 320 MM	18 L	3,25 kW	20 KG



230V1

BAIN-MARIE DE TABLE

TAFEL **BAIN-MARIE**

TABLE **BAIN-MARIE**

REBA2



REBA2V



REFERENCE	DIMENSIONS	GN (OPTION)	DRAINVALVE	POWER	WEIGHT
REBA2	L 338 x P 540 x H 248 MM	1 / 1	NO	1 kW	8 KG
REBA2V	L 340 x P 590 x H 240 MM	1 / 1	YES	1 kW	7,5 KG



230V1

Made in
Europe

Made in
Europe





Snack

MARMITE À SOUPE

SOEPKETEL

SOUP KETTLE



Made in
Europe

REFERENCE	DIMENSIONS	VOLUME	POWER	WEIGHT
REBASOUPE	Ø 345 x H 360 MM	9 L	0,4 kW	4,5 KG



230V1

**CUISEUR SOUS VIDE
À BASSE TEMPÉRATURE**

**LAGE TEMPERATUUR
VACUÛMKOKER**

**LOW TEMPERATURE
VACUUMCOOKER**



Made in
Europe

REFERENCE	DIMENSIONS	VOLUME	POWER	WEIGHT
RCSV	L 600 x P 330 x H 300 MM	30 L	0,1 kW	12 KG



230V1



+45°/+100°



Preparation

Made in Europe

MIXER & PASSE-POTAGE

STAAFMIXER

PEPEMIXER



REFERENCE	DIMENSIONS	VOLUME	SPEED	POWER	WEIGHT
BFF50	Ø 75 x H 555 MM	20 L	1 (15.000 rpm)	0,25 kW	1,4 KG



230V1

MIXER & PASSE-POTAGE

STAAFMIXER

PEPEMIXER

BFM350VF



BFM450VW



BFM650VW

REFERENCE	DIMENSIONS	VOLUME	SPEED	POWER	WEIGHT
BFM350VF	Ø 130 x H 360 MM	30 - 250 L	1 (15.000 rpm)	0,35 kW	2,6 KG
BFM450VW	Ø 130 x H 380 MM	50 - 300 L	2 (2.000 to 17.000 rpm)	0,45 kW	3,2 KG
BFM650VW	Ø 130 x H 400 MM	80 - 330 L	2 (2.000 to 13.000 rpm)	0,65 kW	3,6 KG



230V1



REFERENCE	DIMENSIONS	VOLUME
BFM300	L 300 MM	30 - 80 L
BFM400	L 400 MM	80 - 120 L
BFM500	L 500 MM	150 - 230 L
BFM600	L 600 MM	250 - 330 L

Made in Europe





Preparation

EPLUCHEUSE À POMMES DE TERRE

BFP105



AARDAPPELSCHILLER



BFP110

PATATO PEELER



BFP118

Made in
Europe

REFERENCE	DIMENSIONS	PRODUCTION	POWER	WEIGHT
BFP105	L 530 x P 520 x H 520 MM	150 KG / H	0,5 HP - 0,37 kW	28 KG
BFP110	L 530 x P 660 x H 850 MM	300 KG / H	0,75 HP - 0,55 kW	40 KG
BFP118	L 530 x P 660 x H 950 MM	500 KG / H	1,20 HP - 0,90 kW	45 KG



230V1

LAVE-MOULES

BFPC105



MOSELWASSER



BFPC110

MUSSELWASHER



BFPC118

Made in
Europe

REFERENCE	DIMENSIONS	PRODUCTION	POWER	WEIGHT
BFPC105	L 530 x P 520 x H 520 MM	150 KG / H	0,5 HP - 0,37 kW	28 KG
BFPC110	L 530 x P 660 x H 850 MM	300 KG / H	0,75 HP - 0,55 kW	40 KG
BFPC118	L 530 x P 660 x H 950 MM	500 KG / H	1,20 HP - 0,90 kW	45 KG



230V1



Preparation

Preparation

COUPE-LÉGUMES

GROENTENSNIJDER

VEGETABLES CUTTER



With 5 discs

REFERENCE	DIMENSIONS	PRODUCTION	POWER	WEIGHT
BTM	L 570 x P 230 x H 510 MM	150 KG / H	0,55 kW	27,5 KG



230V1

CUTTER ÉLECTRONIQUE

ELECTRONISCHE CUTTER

ELECTRONIC CUTTER



REFERENCE	DIMENSIONS	VOLUME	SPEED	POWER	WEIGHT
BFCU106	L 495 x P 320 x H 400 MM	6 L	1400 RPM	0,75 kW	36 KG
BFCU109	L 535 x P 320 x H 450 MM	9 L	1400 RPM	0,75 kW	60 KG



230V1

Made in
Europe

Made in
Europe



Preparation

COUPE-FRITES MANUEL

MANUELE FRIETESNIJDER

MANUAL FRITECUTTER



7, 10, 14 mm and quarters

Made in
Europe

REFERENCE	DIMENSIONS	WEIGHT
BCOUEFRITE	L 430 x P 168 x H 290 MM	4,25 KG

SOUS-VIDEUSE

VACUÛM MACHINE

VACUUM MACHINE



BFCMINI



BFC300



BFC400

Automatic bell opening - Automatic start when bell closed - Waterproof control panel
1 program - Removable sealing bar - Connection for external vacuum - Oil made auto cleaning system

Made in
Europe

REFERENCE	DIMENSIONS	PUMP CAPACITY	SEALING BAR	POWER	WEIGHT
BFCMINI	L 370 x P 280 x H 170 MM	0,02 M³ / HOUR	350 MM	0,25 kW	8 KG
BFC250	L 360 x P 400 x H 400 MM	6 M³ / HOUR	250 MM	0,35 kW	32 KG
BFC300	L 410 x P 460 x H 420 MM	10 M³ / HOUR	300 MM	0,40 kW	38 KG
BFC350	L 460 x P 500 x H 420 MM	10 M³ / HOUR	350 MM	0,45 kW	42 KG
BFC400	L 510 x P 560 x H 450 MM	25 M³ / HOUR	400 MM	0,90 kW	60 KG
BFC450	L 560 x P 610 x H 450 MM	25 M³ / HOUR	450 MM	0,90 kW	68 KG
BFC800	L 920 x P 540 x H 450 MM	25 M³ / HOUR	2 X 400 MM	0,95 kW	80 KG



230V1



Preparation

Preparation

RÂPE À PARMESAN

PARMEZAAN RASP

CHEESE GRATER



REFERENCE	DIMENSIONS	PRODUCTION	POWER	WEIGHT
BGM	L 280 x P 170 x H 310 MM	30 KG / H	0,5 HP - 0,38 kW	9 KG
BGS	L 380 x P 220 x H 380 MM	70 KG / H	1 HP - 0,75 kW	20 KG
BGSM	L 420 x P 220 x H 380 MM	90 KG / H	1,5 HP - 1,10 kW	22 KG



230V1

COMBI HACHOIR + RÂPE

COMBI VLEESMOLEN + RASP

COMBI MINCER + GRATER



REFERENCE	DIMENSIONS	PRODUCTION	POWER	WEIGHT
BTG8	L 380 x P 260 x H 360 MM	30 - 30 KG / H	0,5 HP - 0,38 kW	11 KG
BTG12	L 550 x P 200 x H 460 MM	70 - 200 KG / H	1 HP - 0,75 kW	25 KG
BTG22	L 610 x P 220 x H 460 MM	90 - 300 KG / H	1,5 HP - 1,10 kW	30 KG



230V1

Made in
Europe

Made in
Europe





Preparation

HACHOIR À VIANDE

VLEESMOLEN

MEAT MINCER



Made in
Europe

REFERENCE	DIMENSIONS	PRODUCTION	POWER	WEIGHT
BTS8	L 270 x P 260 x H 360 MM	30 KG / H	0,5 HP - 0,38 kW	10 KG
BTS12	L 370 x P 220 x H 440 MM	200 KG / H	1 HP - 0,75 kW	21 KG
BTS22	L 440 x P 240 x H 510 MM	300 KG / H	1,5 HP - 1,10 kW	27 KG
BTS32	L 500 x P 240 x H 510 MM	400 KG / H	2 HP - 1,50 kW	36 KG



230V1

HACHOIR À VIANDE RÉFRIGÉRÉ

GEKOELDE VLEESMOLEN

REFRIGERATED MEAT MINCER



Made in
Europe

REFERENCE	DIMENSIONS	PRODUCTION	POWER	WEIGHT
BTR22	L 430 x P 260 x H 530 MM	280 KG / H	1,2 HP - 0,9 kW	46 KG
BTR32	L 520 x P 320 x H 550 MM	450 KG / H	2,5 HP - 1,85 kW	59 KG



230V3/
400V3N

Preparation



TRANCHEUSE À COURROIE

VLEESSNIJMAHINE MET AANDRIJFRIEM

MEAT SLICER WITH BELT



Max cutting thickness: 160 mm

REFERENCE	DIMENSIONS	BLADE	CUT SURFACE	POWER	WEIGHT
BFA253	L 580 x P 405 x H 370 MM	Ø 250 MM	190 x 190 MM	0,25 HP - 0,37 kW	14 KG
BFA303	L 650 x P 485 x H 440 MM	Ø 300 MM	220 x 210 MM	0,33 HP - 0,37 kW	19 KG
BFA353	L 890 x P 585 x H 480 MM	Ø 350 MM	310 x 260 MM	0,5 HP - 0,37 kW	36 KG



230V1

POUSSOIR À SAUCISSE

WORSTENBUISVULLER

SAUSAGE FILLERS



Mannuel

REFERENCE	DIMENSIONS	VOLUME	WEIGHT
BFIN103	L 400 x P 200 x H 220 MM	3 L	8 KG
BFIN105	L 590 x P 230 x H 240 MM	5 L	11 KG

Made in
Europe

Made in
Europe





Bar

PRESSE-AGRUMES

CITRUS PERS

CITRUS PRESS

NGSP-A1MEN



NGSP-A1MA
Automatic



Made in
Europe

REFERENCE	DIMENSIONS	SPEED	POWER	WEIGHT
NGSP-A1MEN	L 195 x P 200 x H 320 MM	900 RPM	0,35 KW	4,5 KG
NGSP-A1MA	L 180 x P 300 x H 360 MM	1400 RPM	0,35 KW	8,5 KG



230V1

BLENDER

BLENDER

BLENDER

NBLENDECO
Semi-professionnal



NGFR-A2PL



Made in
Europe

REFERENCE	DIMENSIONS	SPEED	VOLUME	POWER	WEIGHT
NBLENDECO	Ø 220 x H 420 MM	14000 - 16000 RPM	1,75 L	0,4 kW	3,6 KG
NGFR-A1PL	L 200 x P 200 x H 450 MM	16000 - 20000 RPM	1 L	0,3 kW	5,6 KG
NGFR-A2PL	L 360 x P 200 x H 450 MM	16000 - 20000 RPM	2 x 1 L	0,6 kW	8,5 KG



230V1

Bar



BROYEUR À GLACE

ICECRUSHER

ICECRUSHER

NICECRUSHER
Semi-professionnel



NICERP1



NICERG1

Made in
Europe

REFERENCE	DIMENSIONS	PRODUCTION	POWER	WEIGHT
NICECRUSHER	L 172 x P 240 x H 463 MM	15 KG / H	0,08 kW	3,6 KG
NICERP1	L 225 x P 235 x H 470 MM	100 KG / H	1,2 kW	8,5 KG
NICERG1	L 450 x P 190 x H 260 MM	40 KG / H	0,35 kW	8,5 KG



230V1

MILKSHAKER

MILKSHAKER

MILKSHAKER

NGFN-A1PL



NGFN-A2PL



Made in
Europe

REFERENCE	DIMENSIONS	SPEED	VOLUME	POWER	WEIGHT
NGFN-A1PL	L 150 x P 180 x H 480 MM	15000 RPM	650 ML	0,15 kW	3 KG
NGFN-A2PL	L 300 x P 180 x H 480 MM	15000 RPM	650 + 650 ML	0,3 kW	6 KG



230V1





Bar

**DISTRIBUTEUR
DE BOISSONS FROIDES**

**KOUDE DRANK
DISPENSER**

**COLD DRINK
DISPENSER**



Made in
Europe

REFERENCE	DIMENSIONS	VOLUME	POWER	WEIGHT
NCOOL2	L 300 x P 300 x H 690 MM	9 L	0,15 kW	22 KG
NCOOL3	L 450 x P 300 x H 690 MM	9 + 9 L	0,25 kW	28 KG



230V1



+2°/+8°

**DISTRIBUTEUR
DE BOISSONS CHAUDES**

**WARME DRANKEN
DISPENSER**

**HOT DRINKS
DISPENSER**



Made in
Europe

REFERENCE	DIMENSIONS	VOLUME	POWER	WEIGHT
NTHERM15	Ø 310 x H 420 MM	15 L	2,5 kW	3,5 KG
NTHERM20	Ø 310 x H 523 MM	20 L	2,5 kW	4,8 KG



230V1



+30°/+110°

Bar

Bar

PERCOLATEUR

PERCOLATOR

PERCOLATOR



REFERENCE	DIMENSIONS	VOLUME	CAPACITY	POWER	WEIGHT
NPERC60T	Ø 340 x H 490 MM	10 L	100 CUPS	1,5 kW	5 KG
NPERC100T	Ø 340 x H 600 MM	15 L	150 CUPS	1,5 kW	6,5 KG



230V1

PERCOLATEUR 2 PLAQUES

2 PLATEN PERCOLATOR

2 PLATES PERCOLATOR

NPERC1000



NPERC1002



NPERC2002

REFERENCE	DIMENSIONS	PRODUCTION	POWER	WEIGHT
NPERC1000	L 215 x P 385 x H 460 MM	16 L / H	2 kW	6,5 KG
NPERC1002	L 214 x P 382 x H 520 MM	20 L / H	2 kW	8 KG
NPERC2002	L 430 x P 410 x H 520 MM	40 L / H	3,3 kW	12 KG



230V1

Made in Europe

Made in Europe





Bar

MACHINE À CAFÉ 1 GROUPE COMPACT

COMPACT 1 KOP KOFFIEMACHINE

COMPACT 1 GROUP COFFEE MACHINE

A1-OFFICEMAN



A1-OFFICEAUTO

Made in
Europe

With reservoir 2,75 L (150 cups / h) or connection to the waternet

REFERENCE	DIMENSIONS	CAPACITY	POWER	WEIGHT
A1-OFFICEMAN	L 260 x P 450 x H 380 MM	50 CUPS / HOUR	1,2 kW	25 KG
A1-OFFICEAUTO	L 280 x P 420 x H 400 MM	50 CUPS / HOUR	1,2 kW	20 KG



230V1

MACHINE À CAFÉ ÉLECTRONIQUE 1 GROUPE

ELECTRONISCH 1 KOP KOFFIEMACHINE

ELECTRONIC 1 GROUP COFFEE MACHINE

A1-ELEGANCEMINI



A1M-ELEGANCEMINI

Gratis

Made in
Europe

With Brita purity C, Brita head 30% and flowmeter

REFERENCE	DIMENSIONS	CAPACITY	GRINDER	POWER	WEIGHT
A1-ELEGANCEMINI	L 470 x P 610 x H 520 MM	200 CUPS / HOUR	-	2,77 kW	48 KG
A1M-ELEGANCEMINI	L 470 x P 610 x H 630 MM	200 CUPS / HOUR	YES	3,13 kW	50 KG



230V1

Bar



MACHINE À CAFÉ
ÉLECTRONIQUE 2 GROUPES

ELECTRONISCH 2 KOPPEN
KOFFIEMACHINE

ELECTRONIC 2 GROUPS
COFFEE MACHINE



Gratis

With Brita purity C, Brita head 30% and flowmeter

REFERENCE	DIMENSIONS	CAPACITY	POWER	WEIGHT
A2-MONROC	L 660 x P 540 x H 480 MM	350 CUPS / HOUR	2,8 kW	60 KG



230V1

MACHINE À CAFÉ
ÉLECTRONIQUE 2 GROUPES

ELECTRONISCH 2 KOPPEN
KOFFIEMACHINE

ELECTRONIC 2 GROUPS
COFFEE MACHINE



Gratis

A2-ELEGANCEMINI

A2M-ELEGANCE

A2-ELEGANCE

With Brita purity C, Brita head 30% and flowmeter

REFERENCE	DIMENSIONS	CAPACITY	GRINDER	POWER	WEIGHT
A2-ELEGANCEMINI	L 470 x P 610 x H 520 MM	200 CUPS / HOUR	-	2,78 kW	56 KG
A2M-ELEGANCE	L 710 x P 610 x H 630 MM	350 CUPS / HOUR	YES	3,60 kW	62 KG
A2-ELEGANCE	L 710 x P 610 x H 520 MM	350 CUPS / HOUR	-	3,33 kW	60 KG



230V1



230V3/
400V3N

A2-ELEGANCEMINI
A2M-ELEGANCE

A2-ELEGANCE





Bar

MACHINE À CAFÉ

ÉLECTRONIQUE 3 GROUPES

ELECTRONISCH 3 KOPPEN
KOFFIEMACHINE

ELECTRONIC 3 GROUPS
COFFEE MACHINE



Gratis

Made in
Europe

With Brita purity C, Brita head 30% and flowmeter

REFERENCE	DIMENSIONS	CAPACITY	POWER	WEIGHT
A3-ELEGANCE	L 980 x P 610 x H 520 MM	550 CUPS / HOUR	4,29 kW	85 KG



230V3/
400V3N

MOULIN À CAFÉ

KOFFIEMOLEN

COFFEE GRINDER

ATMINI
(77db)



ATMAR
(77db)
automatic



ATSIL
(63db)
automatic



ATFULL
(77db)
automatic



Made in
Europe

REFERENCE	DIMENSIONS	MATERIAL	HOPPER	POWER	WEIGHT
ATMINI	L 170 x P 340 x H 410 MM	ABS	1 KG	0,27 kW	6 KG
ATMAR	L 210 x P 380 x H 600 MM	ABS	2 KG	0,36 kW	9 KG
ATSIL	L 210 x P 355 x H 555 MM	ABS	2 KG	0,33 kW	11 KG
ATFULL	L 210 x P 380 x H 600 MM	STAINLESS STEEL	2 KG	0,36 kW	10 KG



230V1

Bar



MEUBLE MACHINE À CAFÉ

MEUBEL VOOR KOFFIEMACHINES

CABINET FOR COFFEE MACHINES

AMC100



AMCAF820



AMCAF1000

Made in Europe

REFERENCE	DIMENSIONS	DRAWER	SHELF	WEIGHT
AMC100	L 1000 x P 600 x H 1050 MM	1	1	59 KG
AMC150	L 1470 x P 600 x H 1050 MM	1	1	85 KG
AMC200	L 1960 x P 600 x H 1050 MM	1	2	116 KG
AMCAF820	L 820 x P 600 x H 1050 MM	1	1	45 KG
AMCAF1000	L 1000 x P 600 x H 1050 MM	1	3	61 KG
AMCAF1500	L 1470 x P 600 x H 1050 MM	1	6	85 KG
AMCAF2000	L 1960 x P 600 x H 1050 MM	1	6	116 KG

TIROIR À MARC DE CAFÉ

KOFFIEGRUISLADDE

COFFEE GROUND DRAWER



Made in Europe

REFERENCE	DIMENSIONS	DRAWER	FOR	WEIGHT
ABASE MOULIN	L 290 x P 515 x H 105 MM	1	COFFEE GRINDER	6 KG
ABASE	L 410 x P 515 x H 105 MM	1	1 GROUP COFFEE MACHINE	8 KG
ABASE INTER	L 700 x P 515 x H 105 MM	2	2 GROUPS COFFEE MACHINE	14 KG
ABASE MAXI	L 990 x P 515 x H 105 MM	3	3 GROUPS COFFEE MACHINE	20 KG





Bar

ADOUCCISSEUR D'EAU

WATERVERZACHTER

WATER SOFTENER

BRITACART C150



BRITACART C300



BRITACART C500



BRITACART C1100



BRITADEBIM1.5

Made in
Europe

REFERENCE	TYPE	CAPACITY / 10° KH
BRITA PURITY C	STARTER SET	2408 L
BRITA PURITY C+	STARTER SET	4000 L
BRITACART C150	CARTRIDGE	2408 L
BRITACART C300	CARTRIDGE	4000 L
BRITACART C500	CARTRIDGE	6800 L
BRITACART C1100	CARTRIDGE	11500 L

REFERENCE	TYPE
BRITADEBIM1.5	FLOWMETER

CHOCOLATIÈRE

CHOCOMELK DISPENSER

CHOCOMILK DISPENSER



Made in
Europe

REFERENCE	DIMENSIONS	VOLUME	POWER	WEIGHT
NCHOC05	Ø 230 x H 500 MM	5 L	0,9 kW	6 KG



230V1



- Prix hors TVA
- Sauf erreurs dans les prix, images et textes
- Photos non contractuelles
- Taille des machines non proportionnelle entre elles
- La société se réserve le droit de modifier à tout moment les renseignements indiqués dans ce présent catalogue et ce sans préavis
- Prix valables jusqu'au 31/03/2016



- Prijzen exclusief BTW
- Tenzij fouten in prijzen, afbeeldingen en teksten
- Foto's zijn niet bindend
- De grootte tussen de toestellen is niet proportioneel
- De onderneming behoudt zich het recht toe om alle gegeven informatie in deze huidige catalogus te veranderen en dit zonder voorafgaande kennisgeving
- Prijzen geldig tot 31/03/2016



- Prices excluding VAT
- Unless errors in prices, pictures and texts
- Pictures are not contractual
- Size of the machines are not proportional
- The company reserves the right to modify at any time the information indicated in this present catalog and this without any prior notice
- Prices valid until 31/03/2016

